

SECTION 1: IDENTIFICATION

1.1. Product Identifier

Product Form: Mixture

Product Name: AmeriPolish SR2 Plus

Product Code: 19536

1.2. Intended Use of the Product

Concrete sealer. For professional use only.

1.3. Name, Address, and Telephone of the Responsible Party

Company

AmeriPolish Inc

120 Commercial Ave

Lowell, AR 72745

479-725-0033

www.ameripolish.com

1.4. Emergency Telephone Number

Emergency Number : ChemTel LLC

(800)255-3924 (North America)

+1 (813)248-0585 (International)

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the Substance or Mixture

GHS-US/CA Classification

Flam. Liq. 3 H226

Eye Irrit. 2 H319

Full text of hazard classes and H-statements : see section 16

2.2. Label Elements

GHS-US/CA Labeling

Hazard Pictograms (GHS-US/CA) :



Signal Word (GHS-US/CA) :

Warning

Hazard Statements (GHS-US/CA) :

H226 - Flammable liquid and vapor.

H319 - Causes serious eye irritation.

Precautionary Statements (GHS-US/CA) :

- P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- P233 - Keep container tightly closed.
- P240 - Ground/bond container and receiving equipment.
- P241 - Use explosion-proof electrical, ventilating, and lighting equipment.
- P242 - Use only non-sparking tools.
- P243 - Take action to prevent static discharges.
- P264 - Wash hands, forearms, and other exposed areas thoroughly after handling.
- P280 - Wear protective gloves, protective clothing, and eye protection.
- P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water .
- P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P337+P313 - If eye irritation persists: Get medical advice/attention.
- P370+P378 - In case of fire: Use appropriate media (see section 5) to extinguish.
- P403+P235 - Store in a well-ventilated place. Keep cool.

AmeriPolish SR2 Plus

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

P501 - Dispose of contents/container in accordance with local, regional, national, and international regulations.

2.3. Other Hazards

Exposure may aggravate pre-existing eye, skin, or respiratory conditions.

2.4. Unknown Acute Toxicity (GHS-US/CA)

No data available

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substance

Not applicable

3.2. Mixture

| Name | Synonyms | Product Identifier | % * | GHS Ingredient Classification |
|-------------|--------------|--------------------|------------------|-----------------------------------------------------------------------------------------------------------------------------------------------|
| Component 1 | Trade Secret | Trade Secret | 59.3 | Flam. Liq. 2, H225 |
| Component 2 | Trade Secret | Trade Secret | 27.23 – 27.35 | Flam. Liq. 4, H227 |
| Component 3 | Trade Secret | Trade Secret | 2.7 – 3 | Flam. Liq. 2, H225 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 |
| Component 4 | Trade Secret | Trade Secret | ≤ 2.5 | Skin Irrit. 2, H315 Eye Dam. 1, H318 |
| Component 5 | Trade Secret | Trade Secret | 0.03 – 0.15 | Flam. Liq. 2, H225 Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation:vapor), H331 STOT SE 1, H370 |
| Component 6 | Trade Secret | Trade Secret | 0.003 – 0.03 | Flam. Liq. 3, H226 Repr. 2, H361 Aquatic Chronic 4, H413 |

Full text of H-phrases: see section 16

*Percentages are listed in weight by weight percentage (w/w%) for liquid and solid ingredients. Gas ingredients are listed in volume by volume percentage (v/v%).

SECTION 4: FIRST AID MEASURES

4.1. Description of First-aid Measures

General: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

Inhalation: When symptoms occur: go into open air and ventilate suspected area. Obtain medical attention if breathing difficulty persists.

Skin Contact: Immediately drench affected area with water for at least 15 minutes. Immediately remove contaminated clothing. Obtain medical attention if irritation develops or persists.

Eye Contact: Immediately rinse with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if irritation develops or persists.

Ingestion: Rinse mouth. Do NOT induce vomiting. Obtain medical attention.

4.2. Most Important Symptoms and Effects Both Acute and Delayed

General: Causes serious eye irritation.

Inhalation: Prolonged exposure may cause irritation.

Skin Contact: Prolonged exposure may cause skin irritation.

Eye Contact: Contact causes severe irritation with redness and swelling of the conjunctiva.

Ingestion: Ingestion may cause adverse effects.

Chronic Symptoms: None expected under normal conditions of use.

4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

AmeriPolish SR2 Plus

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

SECTION 5: FIRE-FIGHTING MEASURES

5.1. Extinguishing Media

Suitable Extinguishing Media: Dry chemical powder, alcohol-resistant foam, carbon dioxide (CO₂). Water may be ineffective but water should be used to keep fire-exposed container cool.

Unsuitable Extinguishing Media: Do not use a heavy water stream. A heavy water stream may spread burning liquid.

5.2. Special Hazards Arising From the Substance or Mixture

Fire Hazard: Flammable liquid and vapor. Vapors are heavier than air and may travel considerable distance to an ignition source and flash back to source of vapors.

Explosion Hazard: May form flammable or explosive vapor-air mixture.

Reactivity: Reacts violently with strong oxidizers. Increased risk of fire or explosion.

5.3. Advice for Firefighters

Precautionary Measures Fire: Exercise caution when fighting any chemical fire.

Firefighting Instructions: Use water spray or fog for cooling exposed containers. In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion.

Protection During Firefighting: Do not enter fire area without proper protective equipment, including respiratory protection.

Hazardous Combustion Products: Carbon oxides (CO, CO₂). Silicon oxides. Formaldehyde. Nitrogen oxides.

5.4. Reference to Other Sections

Refer to Section 9 for flammability properties.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: Avoid all contact with skin, eyes, or clothing. Avoid breathing (vapor, mist, spray).. Keep away from heat, hot surfaces, sparks, open flames, and other ignition sources. No smoking. Use special care to avoid static electric charges.

6.1.1. For Non-Emergency Personnel

Protective Equipment: Use appropriate personal protective equipment (PPE).

Emergency Procedures: Evacuate unnecessary personnel. Stop leak if safe to do so.

6.1.2. For Emergency Personnel

Protective Equipment: Equip cleanup crew with proper protection.

Emergency Procedures: Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit.

Eliminate ignition sources first, then ventilate the area.

6.2. Environmental Precautions

Prevent entry to sewers and public waters.

6.3. Methods and Materials for Containment and Cleaning Up

For Containment: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. As an immediate precautionary measure, isolate spill or leak area in all directions.

Methods for Cleaning Up: Clean up spills immediately and dispose of waste safely. Transfer spilled material to a suitable container for disposal. Contact competent authorities after a spill. Absorb and/or contain spill with inert material. Do not take up in combustible material such as: saw dust or cellulosic material. Use only non-sparking tools.

6.4. Reference to Other Sections

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for Safe Handling

Additional Hazards When Processed: Handle empty containers with care because residual vapors are flammable.

Precautions for Safe Handling: Avoid contact with skin, eyes and clothing. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Avoid breathing vapors, mist, spray. Take precautionary measures against static discharge. Use only non-sparking tools.

Hygiene Measures: Handle in accordance with good industrial hygiene and safety procedures.

7.2. Conditions for Safe Storage, Including Any Incompatibilities

Technical Measures: Comply with applicable regulations. Take action to prevent static discharges. Ground and bond container and receiving equipment. Use explosion-proof electrical, ventilating, and lighting equipment.

Storage Conditions: Store in a dry, cool place. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials. Store in a well-ventilated place. Keep container tightly closed. Keep in fireproof place.

AmeriPolish SR2 Plus

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Incompatible Materials: Strong acids, strong bases, strong oxidizers.

7.3. Specific End Use(s)

Concrete sealer. For professional use only.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control Parameters

For substances listed in section 3 that are not listed here, there are no established exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), AIHA (WEEL), NIOSH (REL), OSHA (PEL), or Canadian provincial governments.

| Component 2 | | |
|---------------------------|-------------------------|-----------------------------------------------------------------------------------------------------|
| USA AIHA | WEEL TWA [ppm] | 10 ppm |
| Methanol (67-56-1) | | |
| USA ACGIH | ACGIH OEL TWA [ppm] | 200 ppm |
| USA ACGIH | ACGIH OEL STEL [ppm] | 250 ppm |
| USA ACGIH | ACGIH chemical category | Skin - potential significant contribution to overall exposure by the cutaneous route |
| USA ACGIH | BEI (BLV) | 15 mg/l Parameter: Methanol - Medium: urine - Sampling time: end of shift (background, nonspecific) |
| USA OSHA | OSHA PEL (TWA) [1] | 260 mg/m ³ |
| USA OSHA | OSHA PEL (TWA) [2] | 200 ppm |
| USA NIOSH | NIOSH REL (TWA) | 260 mg/m ³ |
| USA NIOSH | NIOSH REL TWA [ppm] | 200 ppm |
| USA NIOSH | NIOSH REL (STEL) | 325 mg/m ³ |
| USA NIOSH | NIOSH REL STEL [ppm] | 250 ppm |
| USA IDLH | IDLH [ppm] | 6000 ppm |
| Alberta | OEL STEL | 328 mg/m ³ |
| Alberta | OEL STEL [ppm] | 250 ppm |
| Alberta | OEL TWA | 262 mg/m ³ |
| Alberta | OEL TWA [ppm] | 200 ppm |
| British Columbia | OEL STEL [ppm] | 250 ppm |
| British Columbia | OEL TWA [ppm] | 200 ppm |
| Manitoba | OEL STEL [ppm] | 250 ppm |
| Manitoba | OEL TWA [ppm] | 200 ppm |
| New Brunswick | OEL STEL | 328 mg/m ³ |
| New Brunswick | OEL STEL [ppm] | 250 ppm |
| New Brunswick | OEL TWA | 262 mg/m ³ |
| New Brunswick | OEL TWA [ppm] | 200 ppm |
| Newfoundland & Labrador | OEL STEL [ppm] | 250 ppm |
| Newfoundland & Labrador | OEL TWA [ppm] | 200 ppm |
| Nova Scotia | OEL STEL [ppm] | 250 ppm |
| Nova Scotia | OEL TWA [ppm] | 200 ppm |
| Nunavut | OEL STEL [ppm] | 250 ppm |
| Nunavut | OEL TWA [ppm] | 200 ppm |
| Northwest Territories | OEL STEL [ppm] | 250 ppm |
| Northwest Territories | OEL TWA [ppm] | 200 ppm |
| Ontario | OEL STEL [ppm] | 250 ppm |
| Ontario | OEL TWA [ppm] | 200 ppm |
| Prince Edward Island | OEL STEL [ppm] | 250 ppm |
| Prince Edward Island | OEL TWA [ppm] | 200 ppm |
| Québec | VECD (OEL STEL) | 328 mg/m ³ |
| Québec | VECD (OEL STEL) [ppm] | 250 ppm |
| Québec | VEMP (OEL TWA) | 262 mg/m ³ |

AmeriPolish SR2 Plus

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

| | | |
|--------------------|----------------------|-----------------------|
| Québec | VEMP (OEL TWA) [ppm] | 200 ppm |
| Saskatchewan | OEL STEL [ppm] | 250 ppm |
| Saskatchewan | OEL TWA [ppm] | 200 ppm |
| Yukon | OEL STEL | 310 mg/m ³ |
| Yukon | OEL STEL [ppm] | 250 ppm |
| Yukon | OEL TWA | 260 mg/m ³ |
| Yukon | OEL TWA [ppm] | 200 ppm |
| Component 6 | | |
| USA AIHA | WEEL TWA [ppm] | 10 ppm |

8.2. Exposure Controls

Appropriate Engineering Controls: Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed. Gas detectors should be used when flammable gases or vapors may be released. Proper grounding procedures to avoid static electricity should be followed. Use explosion-proof equipment.

Personal Protective Equipment: Gloves. Protective clothing. Protective goggles. Insufficient ventilation: wear respiratory protection.



Materials for Protective Clothing: Chemically resistant materials and fabrics. Wear fire/flame resistant/retardant clothing.

Hand Protection: Wear protective gloves.

Eye and Face Protection: Chemical safety goggles.

Skin and Body Protection: Wear suitable protective clothing.

Respiratory Protection: If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory protection.

Other Information: When using, do not eat, drink or smoke.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on Basic Physical and Chemical Properties

| | |
|----------------------------------------|-------------------|
| Physical State | : Liquid |
| Appearance | : Clear |
| Odor | : Moderate |
| Odor Threshold | : Not available |
| pH | : Not available |
| Evaporation Rate | : Not available |
| Melting Point | : Not available |
| Freezing Point | : 0°C (32°F) |
| Boiling Point | : Not available |
| Flash Point | : 23 °C (73.4 °F) |
| Auto-ignition Temperature | : Not available |
| Decomposition Temperature | : Not available |
| Flammability (solid, gas) | : Not applicable |
| Lower Flammable Limit | : Not available |
| Upper Flammable Limit | : Not available |
| Vapor Pressure | : Not available |
| Relative Vapor Density at 20°C | : Not available |
| Relative Density | : Not available |
| Specific Gravity | : Not available |
| Solubility | : Not available |
| Partition Coefficient: N-Octanol/Water | : Not available |

AmeriPolish SR2 Plus

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Viscosity : Not available

SECTION 10: STABILITY AND REACTIVITY

- 10.1. Reactivity:** Reacts violently with strong oxidizers. Increased risk of fire or explosion.
- 10.2. Chemical Stability:** Flammable liquid and vapor. May form flammable or explosive vapor-air mixture.
- 10.3. Possibility of Hazardous Reactions:** Hazardous polymerization will not occur.
- 10.4. Conditions to Avoid:** Direct sunlight, extremely high or low temperatures, heat, hot surfaces, sparks, open flames, incompatible materials, and other ignition sources.
- 10.5. Incompatible Materials:** Strong acids, strong bases, strong oxidizers.
- 10.6. Hazardous Decomposition Products:** Thermal decomposition may produce: Carbon oxides (CO, CO₂). Silicon oxides. Formaldehyde. Nitrogen oxides.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on Toxicological Effects - Product

Acute Toxicity (Oral): Not classified

Acute Toxicity (Dermal): Not classified

Acute Toxicity (Inhalation): Not classified

LD50 and LC50 Data: Not available

Skin Corrosion/Irritation: Not classified

Eye Damage/Irritation: Causes serious eye irritation.

Respiratory or Skin Sensitization: Not classified

Germ Cell Mutagenicity: Not classified

Carcinogenicity: Not classified

Specific Target Organ Toxicity (Repeated Exposure): Not classified

Reproductive Toxicity: Not classified

Specific Target Organ Toxicity (Single Exposure): Not classified

Aspiration Hazard: Not classified

Symptoms/Injuries After Inhalation: Prolonged exposure may cause irritation.

Symptoms/Injuries After Skin Contact: Prolonged exposure may cause skin irritation.

Symptoms/Injuries After Eye Contact: Contact causes severe irritation with redness and swelling of the conjunctiva.

Symptoms/Injuries After Ingestion: Ingestion may cause adverse effects.

Chronic Symptoms: None expected under normal conditions of use.

11.2. Information on Toxicological Effects - Ingredient(s)

LD50 and LC50 Data:

| Component 2 | |
|---------------------|--------------------------------------------------------------|
| LD50 Oral Rat | > 5000 mg/kg (Species: Sprague-Dawley) |
| LD50 Dermal Rabbit | > 2000 mg/kg (Species: New Zealand White) No deaths reported |
| LC50 Inhalation Rat | 8.67 mg/l/4h (Species: Fischer) |
| Component 1 | |
| LD50 Oral Rat | 13 g/kg |
| LD50 Dermal Rabbit | > 5 g/kg |
| LC50 Inhalation Rat | 140 mg/l/4h |
| Component 5 | |
| LD50 Dermal Rabbit | 15840 mg/kg |
| LC50 Inhalation Rat | 22500 ppm (Exposure time: 8 h) |
| ATE US/CA (oral) | 100.00 mg/kg body weight |
| ATE US/CA (dermal) | 300.00 mg/kg body weight |
| ATE US/CA (vapors) | 3.00 mg/l/4h |
| Component 6 | |
| LD50 Oral Rat | > 4800 mg/kg (No mortality) |
| LD50 Dermal Rat | > 2375 mg/kg |
| LD50 Dermal Rabbit | > 2.5 ml/kg (No mortality) |

AmeriPolish SR2 Plus

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

LC50 Inhalation Rat

36 g/m³ (Exposure time: 4 h)

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecology - General: Not classified.

| Component 1 | |
|------------------------|--------------------------------------------------------------------------------|
| LC50 Fish 1 | > 100 mg/l Species: Danio rerio |
| EC50 - Crustacea [1] | > 100 mg/l Species: Daphnia magna |
| ErC50 algae | > 100 mg/l Species: Pseudokirchnerella subcapitata |
| NOEC Chronic Fish | > 100 mg/l Species: Danio rerio |
| NOEC Chronic Crustacea | 25 mg/l Species: Daphnia magna |
| NOEC Chronic Algae | > 100 mg/l Species: Pseudokirchnerella subcapitata |
| Component 5 | |
| LC50 Fish 1 | 28200 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through]) |
| EC50 - Crustacea [1] | 1340 mg/l |
| LC50 Fish 2 | > 100 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static]) |
| Component 6 | |
| LC50 Fish 1 | > 500 mg/l (Exposure time: 96 h - Species: Brachydanio rerio) |
| LC50 Fish 2 | > 1000 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus) |

12.2. Persistence and Degradability

| AmeriPolish SR2 Plus | |
|-------------------------------|------------------|
| Persistence and Degradability | Not established. |

12.3. Bioaccumulative Potential

| AmeriPolish SR2 Plus | |
|-------------------------------------------------|------------------|
| Bioaccumulative Potential | Not established. |
| Component 5 | |
| BCF Fish 1 | < 10 |
| Partition coefficient n-octanol/water (Log Pow) | -0.77 |
| Component 6 | |
| BCF Fish 1 | 12400 |
| Partition coefficient n-octanol/water (Log Pow) | 5.1 |

12.4. Mobility in Soil Not available

12.5. Other Adverse Effects

Other Information: Avoid release to the environment.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste Disposal Recommendations: Dispose of contents/container in accordance with local, regional, national, territorial, provincial, and international regulations.

Additional Information: Handle empty containers with care because residual vapors are flammable.

Ecology - Waste Materials: Avoid release to the environment.

SECTION 14: TRANSPORT INFORMATION

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued.

14.1. In Accordance with DOT

Proper Shipping Name : DIMETHYL CARBONATE MIXTURE
Hazard Class : 3
Identification Number : UN1161
Label Codes : 3



AmeriPolish SR2 Plus

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Packing Group : II
ERG Number : 129

14.2. In Accordance with IMDG

Proper Shipping Name : DIMETHYL CARBONATE MIXTURE
Hazard Class : 3
Identification Number : UN1161
Label Codes : 3
Packing Group : II
EmS-No. (Fire) : F-E
EmS-No. (Spillage) : S-D



14.3. In Accordance with IATA

Proper Shipping Name : DIMETHYL CARBONATE MIXTURE
Hazard Class : 3
Identification Number : UN1161
Label Codes : 3
Packing Group : II
ERG Code (IATA) : 3L



14.4. In Accordance with TDG

Proper Shipping Name : DIMETHYL CARBONATE MIXTURE
Hazard Class : 3
Identification Number : UN1161
Label Codes : 3
Packing Group : II



SECTION 15: REGULATORY INFORMATION

15.1. US Federal Regulations

| | |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------|
| AmeriPolish SR2 Plus | |
| SARA Section 311/312 Hazard Classes | Physical hazard - Flammable (gases, aerosols, liquids, or solids) Health hazard - Serious eye damage or eye irritation |
| Component 2 | |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory | |
| Component 1 | |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory | |
| Siloxanes and Silicones, dimethyl, hydroxy-terminated, reaction products with trimethoxymethylsilane and N-[3-(trimethoxysilyl)propyl]-1,2-ethanediamine (69430-37-1) | |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory | |
| EPA TSCA Regulatory Flag | XU - XU - indicates a substance exempt from reporting under the Chemical Data Reporting Rule, (40 CFR 711). |
| Component 5 | |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory Subject to reporting requirements of United States SARA Section 313 | |
| CERCLA RQ | 5000 lb |
| SARA Section 313 - Emission Reporting | 1 % |
| Component 6 | |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory | |
| EPA TSCA Regulatory Flag | T - T - indicates a substance that is the subject of a final TSCA section 4 test rule. |
| AMODIMETHICONE/SILSESQUIOXANE COPOLYMER (67923-07-3) | |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory | |
| EPA TSCA Regulatory Flag | XU - XU - indicates a substance exempt from reporting under the Chemical Data Reporting Rule, (40 CFR 711). |

AmeriPolish SR2 Plus

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

15.2. US State Regulations

California Proposition 65



WARNING: This product can expose you to Methanol, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

| Chemical Name (CAS No.) | Carcinogenicity | Developmental Toxicity | Female Reproductive Toxicity | Male Reproductive Toxicity |
|-------------------------|-----------------|------------------------|------------------------------|----------------------------|
| Methanol | | X | | |

Component 1

U.S. - New Jersey - Right to Know Hazardous Substance List
 U.S. - Pennsylvania - RTK (Right to Know) List
 U.S. - Massachusetts - Right To Know List

Component 5

U.S. - New Jersey - Right to Know Hazardous Substance List
 U.S. - Pennsylvania - RTK (Right to Know) List
 U.S. - Massachusetts - Right To Know List
 U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List

15.3. Canadian Regulations

Component 2

Listed on the Canadian DSL (Domestic Substances List)

Component 1

Listed on the Canadian DSL (Domestic Substances List)

Siloxanes and Silicones, dimethyl, hydroxy-terminated, reaction products with trimethoxymethylsilane and N-[3-(trimethoxysilyl)propyl]-1,2-ethanediamine (69430-37-1)

Listed on the Canadian DSL (Domestic Substances List)

Component 5

Listed on the Canadian DSL (Domestic Substances List)

Component 6

Listed on the Canadian DSL (Domestic Substances List)

Component 4

Listed on the Canadian DSL (Domestic Substances List)

SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

Date of Preparation or Latest Revision : 06/10/2021

Other Information : This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200 and Canada's Hazardous Products Regulations (HPR) SOR/2015-17.

GHS Full Text Phrases:

| | |
|---------------------------------|------------------------------------------------------------------|
| Acute Tox. 3 (Dermal) | Acute toxicity (dermal) Category 3 |
| Acute Tox. 3 (Inhalation:vapor) | Acute toxicity (inhalation:vapor) Category 3 |
| Acute Tox. 3 (Oral) | Acute toxicity (oral) Category 3 |
| Aquatic Chronic 4 | Hazardous to the aquatic environment - Chronic Hazard Category 4 |
| Eye Dam. 1 | Serious eye damage/eye irritation Category 1 |
| Eye Irrit. 2 | Serious eye damage/eye irritation Category 2 |
| Eye Irrit. 2A | Serious eye damage/eye irritation Category 2A |
| Flam. Liq. 2 | Flammable liquids Category 2 |
| Flam. Liq. 3 | Flammable liquids Category 3 |
| Flam. Liq. 4 | Flammable liquids Category 4 |
| Repr. 2 | Reproductive toxicity Category 2 |

AmeriPolish SR2 Plus

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

| | |
|---------------|-------------------------------------------------------------|
| Skin Irrit. 2 | Skin corrosion/irritation Category 2 |
| STOT SE 1 | Specific target organ toxicity (single exposure) Category 1 |
| H225 | Highly flammable liquid and vapor |
| H226 | Flammable liquid and vapor |
| H227 | Combustible liquid |
| H301 | Toxic if swallowed |
| H311 | Toxic in contact with skin |
| H315 | Causes skin irritation |
| H318 | Causes serious eye damage |
| H319 | Causes serious eye irritation |
| H331 | Toxic if inhaled |
| H361 | Suspected of damaging fertility or the unborn child |
| H370 | Causes damage to organs |
| H413 | May cause long lasting harmful effects to aquatic life |

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

NA GHS SDS 2015 (Can, US)