


NABISCO





## AMERIPOLISH TABLE OF CONTENTS

### **PREPARE - SURFACE PREPARATION & ABRASIVES**

Ameripolish <sup>®</sup> SmartFloor™ Refinement System	3	Ameripolish <sup>®</sup> PM-7K	8
Ameripolish <sup>*</sup> SmartFloor™ Refinement System - TDP System	4	Ameripolish* PCA	9
Ameripolish <sup>®</sup> SmartFloor™ Refinement System - GPR System	5	Ameripolish <sup>*</sup> Strip & Clean	10
Ameripolish <sup>®</sup> EZ Kut Grinding Agent	6	Ameripolish* Oil Ingester System	11
Ameripolish <sup>®</sup> PG-7K	7	Ameripolish <sup>*</sup> EZ Etch	11

### **COLOR - CONCRETE DYES**

Ameripolish <sup>®</sup> Main Color Chart	12	Ameripolish <sup>*</sup> Edge Tint	17
Ameripolish <sup>®</sup> ColorSolve™	13	Ameripolish <sup>®</sup> OS Integral Color Chart	18
The Difference Between Ameripolish® Concrete Color Systems	14	Ameripolish <sup>*</sup> OS Integral Color	19
Ameripolish <sup>*</sup> Classic Concrete Dyes	15	Ameripolish <sup>®</sup> Penetrating Agent Plus	19
Ameripolish <sup>*</sup> SureLock <sup>™</sup> Concrete Dyes	15	Ameripolish <sup>®</sup> ColorJuice E Color Chart	20
Ameripolish <sup>®</sup> Dye-N-Seal Pro SB Dyes	16	Ameripolish <sup>®</sup> ColorJuice E	21
Ameripolish <sup>*</sup> Dye-N-Seal WB Dyes	17		

### **STRENGTHEN - DENSIFIERS**

	22		25
Ameripolish <sup>®</sup> 3D HS & 3D HSL	23	Ameripolish <sup>®</sup> 2D PL	25
Ameripolish <sup>®</sup> Eco-Hard MS & Eco-Hard MS PLUS	24		

### **PROTECT - STAIN PROTECTION & BURNISHING PADS**

Ameripolish <sup>®</sup> 3D SP E™	26	Ameripolish <sup>°</sup> X-Link E (WL)	31
Ameripolish <sup>®</sup> AquaShield	27	Ameripolish <sup>®</sup> X-Link WB	32
Ameripolish <sup>®</sup> SR <sup>2™</sup> PLUS- NEW	28	Ameripolish <sup>®</sup> DNS-400	32
Ameripolish <sup>®</sup> SR <sup>2™</sup> Stain Resistor	29	Ameripolish <sup>*</sup> SaltShield - NEW	33
Ameripolish <sup>*</sup> SR <sup>2</sup> WB Stain Resistor	30	Ameripolish* G Series Burnishing Pads - NEW	34

## MAINTAIN - CLEANERS & MAINTENANCE PADS

Ameripolish <sup>®</sup> Rejuvenating Cleaner	35	Ameripolish <sup>*</sup> CFE 2000	38
Ameripolish <sup>®</sup> SmartFloor <sup>™</sup> Maintenance System	36	Ameripolish <sup>*</sup> Stain Slayer	39
Ameripolish <sup>®</sup> SP Clean & Shine Pads	37		

#### Copyright 2022 Ameripolish<sup>®</sup>, All rights reserved

The Trademarks, logos and service marks (collectively the "Trademarks") displayed in Ameripolish® marketing are registered and unregistered Trademarks of Ameripolish®. All other Trademarks and service marks are the property of their respective owners. The unauthorized use of any Trademark displayed in this catalog is strictly prohibited.

# SMARTFLOOR™ REFINEMENT SYSTEM

**Polishing Abrasives** 

210 2 -0 213

The SmartFloor<sup>™</sup> Refinement System concept is engineered to provide a high-aesthetic floor that is an easy and economical way to utilize any walk-behind or rideon power trowel, as well as various other traditional polishing machines. The SmartFloor<sup>™</sup> Refinement System consists of pads that have composite resin abrasive technology embedded in their design. With five easy-to-use steps you can save time and money on your polishing jobs! The SmartFloor<sup>™</sup> Refinement system is run entirley wet through all five steps and can be modified to a shorter three-step system in order to refurbish and recover dull, worn out floors!

## **FEATURES**

- Easy-to-use pad system allowing simple swapping in/out of desired pads to the velcro blade holders
- Universal Blade Holder option
- Designed for use on walk-behind or ride-on power trowels and other polishing machines
- Pairs well with the SmartFloor<sup>™</sup> Maintenance system for a floor with high aesthetics and minimal cost
- Learn more on pages 4 & 5
- For more information visit us online at www. SmartFloorUS.com, or find the SmartFloor™ Refinement System brochure!

Item #	Unit	MSRP
TDP128-00-2	00 Blade 2 Pack	\$192.50
TDP128-0-2	0 Blade2 Pack	\$192.50
TDP128-1-2	1 Blade 2 Pack	\$178.75
TDP128-2-2	2 Blade 2 Pack	\$178.75
TDP128-3-2	3 Blade 2 Pack	\$178.75
UVHDLR-2	Universal Blade Holder (2)	\$450.00

Item #	Unit	MSRP
GPR-9	9" Rings, All Steps	\$53.0-\$62.0
GPR-11	11" Rings, All Steps	\$65.0-\$74.0
GPR-13	13" Rings, All Steps	\$75.0-\$86.0
GPR-14	14" Rings, All Steps	\$80.0-\$92.0

Other sizes are readily available upon request; MSRP Pricing represents a price-per-pad range.



The SmartFloor<sup>™</sup> Refinement System allows for easy assembly of universal blade holders that will allow the user of the machine to equip abrasives to virtually any power trowel machine. The TDP - Series Abrasives are 12"x8" rectangular blades that velcro to the universal blade holder in the steps mentioned above: 00 | 0 | 1 | 2 | 3.

Additionally, the SmartFloor<sup>™</sup> Refinement System can be outfitted to machines with our patented blade system or compliment your planetary system with our custom ring designs (see GPR - Series Abrasives on the next page).

## What is the Universal Blade Holder?

The Universal Blade Holder is a stainless steel attachment that can be equppied to any finish or combination power trowel blade. It simply slides on the the existing blade and is snugly bolted down. On the bottom (floor side) of the Blade Holder is a velcro lining that allows for the easy attachment of the SmartFloor<sup>™</sup> Refinement System TDP series abrasives.

- Easy-to-use pad system allowing simple swapping in/out of desired pads to the velcro blade holders
- Universal Blade Holder option
- Designed for use on walk-behind or ride-on power trowels and other polishing machines
- Pairs well with the SmartFloor<sup>™</sup> Maintenance system for a floor with high aesthetics and minimal cost
- Innovative and patented composite resin abrasive technology
- For more information visit us online at www. SmartFloorUS.com/power-trowels



# SMARTFLOOR™ REFINEMENT SYSTEM

**GPR** - Series Abrasives


Grit Equivalent	
40	CONTRACTOR STATE
100	
400	
800	II'
1500	

The SmartFloor<sup>™</sup> Refinement System GPR - Series Abrasives are designed for use on traditional grinding machines of any manufacturer. The only thing that is needed is a velcro head attachment, and the Smart-Floor<sup>™</sup> Refinement System GPR Abrasives will attach quickly and easily.

While you *can* use the five-step full polishing process with the GPR abrasives (00 | 0 | 1 | 2 | 3), there is also a "Three-Step Floor Recovery" system that consists of using only the 1 | 2 | 3 steps for previously polished floors that have lost their shine and are worn out. The "Three-Step Floor Recovery System" can restore these floors back to equal to, or better than, their original installation look!

Additionally, the SmartFloor<sup>™</sup> Refinement System GPR - Series Abrasives can be outfitted to power trowel machines that have circular planetary polishing heads. Just assemble the correct size, and place them on the velcro heads and start polishing!

- Easy-to-use pad system allowing simple swapping in/out of desired pads to the various velcro head attachments on existing machines
- Designed for use with traditional grinding machines or planetary power trowels
- Pairs well with the SmartFloor<sup>™</sup> Maintenance system for a floor with high aesthetics and minimal cost
- Innovative and patented composite resin abrasive technology
- For more information visit us online at www. SmartFloorUS.com/full-polish



Ameripolish<sup>®</sup> EZ-Kut Grinding Agent is a water-based grinding agent used for the initial cut on hard, dense concrete that helps with exposing large aggregate faster than dry or wet methods. EZ-Kut also dramatically increases productivity of lower-grit diamond tooling. EZ-Kut Grinding Agent suspends concrete solids away from the surface, allowing diamond tools to achieve maximum efficiency, reducing the project timeline and labor costs and extending the life of the diamond tooling. It can be used as part of a full flood wet process or as a mist as part of dry grinding.



- Speeds up initial cut on hard, dense concrete
- Helps expose large aggregate faster than dryonly or standard wet methods
- Extends the life of diamond tooling
- Unique dry method avoids the hassle of slurry


Item #	Unit	MSRP
EZKUT-1	1 gallon RTU	\$42.51
EZKUT-5	5 gallon RTU	\$207.10
EZKUT-30	30 gallon RTU	\$1242.60
EZKUT-55	55 gallon RTU	CDFP*
EZKUT-250	250 gallon RTU	CDFP*

## **PG-7K** Polishable Grout Coating System



Ameripolish<sup>®</sup> PG-7K is a fast-setting, modified polymer, high-strength cement with outstanding bonding properties and characteristics. Formulated specifically to fill in small cracks, pinholes and surface irregularities in concrete floors, it also increases durability, gloss and distinctness of image (DOI) on most floors. PG-7K readily accepts Ameripolish<sup>®</sup> concrete dyes and requires no special polishing procedures. Ameripolish<sup>®</sup> PG-7K Part A - Powder must be mixed with PG-7K Part B - Liquid.

- Fast-setting, high-strength cement that fills in small cracks, pinholes and surface irregularities
- Increases durability, gloss and distinctness of image (DOI) on most floors
- Readily accepts Ameripolish<sup>®</sup> dyes
- Easy-to-use 2:1 mix ratio



Item #	Unit	MSRP
PG-7K Kit	20lb Bag Part A & 1gl Liquid	\$87.00
	Part B	

## **PM-7K** Polishable Mortar Repair Material

Ameripolish<sup>®</sup> Polishable Mortar is a user-friendly, fast-setting, polymer-modified high-strength repair mortar with exceptional bond strength and ease-ofuse formulated specifically to repair spalls and joints in concrete floors. PM-7K can be polished using conventional polishing equipment and readily accepts most stains and dyes. PM-7K must be used with Acrylic Part B (Liquid).

ltem #	Unit	MSRP
APPM-50	50lb Part A Powder Bag	\$37.08
APPM-1	Part B Liquid (1 Gallon)	\$40.68

- Over 2,000 PSI bond strength in just three hours
- Fast-Setting; can be wet polished in under 90 minutes
- Readily accepts Ameripolish<sup>®</sup> dyes
- Over 1900 PSI Compressive Strength in 90 minutes
- Low heat generation while curing
- Can be extended with pea gravel for large repairs
- Excellent choice for rebuilding spalled joints
- Three-Hour return to service for forklift traffic
- Simple 4:1 mix ratio



Ameripolish<sup>®</sup> PCA is a penetrating curing agent that chemically hardens and dust-proofs concrete for improved abrasion resistance without forming a coating. PCA is recommended on newly placed concrete to add initial water and stain repellency while retaining slab moisture for improved curing. PCA requires no UV light for dissipation and can be used with integrally-colored concrete. Unlike traditional cure and seal products, PCA does not form a membrane that must be removed via chemical strippers or aggressive metal bond tools prior to polishing.



## **FEATURES**

- Improves cure by retaining slab moisture
- High-penetrating and non-film forming
- Forms hydrophobic barrier to increase stain repellency
- Improves scratch and abrasion resistance
- Helps reduce efflorescence and minimizes dust for healthier indoor air quality
- Replaces traditional cure and seal products on new concrete

Item #	Unit	MSRP
PCA-5	5 gallon RTU	\$208.95
PCA-30	30 gallon RTU	\$1258.95
PCA-55	55 gallon RTU	CDFP*
PCA-250	250 gallon RTU	CDFP*

\*Call Distributor for Pricing\*



Ameripolish<sup>®</sup> Strip & Clean is a water-based stripping agent specifically formulated for the grind-free removal of the Ameripolish<sup>®</sup> 3D SP sealer from polished concrete floors. Strip & Clean is also a great tool to prepare exterior concrete for ColorJuice E applications. It helps remove mold, mildew and other contaminates that would otherwise impair the project.

Item #	Unit	MSRP
SS2-1	1 gallon (2 gallon RTU)	\$40.00
SS10-5	5 gallon (10 gallon RTU)	\$200.00
SS60-30	30 gallon (60 gallon RTU)	\$1,200.00
SS110-55	55 gallon (110 gallon RTU)	\$2,200.00
6 <b>C-10</b> PER FT	400-600 <sub>FT</sub> <sup>2</sup> PER GALLON	

- Grind-free sealer removal
- Formulated specifically to remove 3D SP and other guard-type products
- Ideal for preparation prior to any dye application





### **OIL INGESTER** Water-Based Microbial Stain Remover

Ameripolish<sup>®</sup> Oil Ingester is a water-based microbial stain remover that consumes and breaks down oil-based stains. It absorbs odors from the surface of concrete without causing damage or affecting any existing colorant, sealer or stain protector. This biodegradable and VOC-compliant product is environmentally safe and can be used daily. Removal of deeply embedded oil spots may require weeks. This removal time is normal, as oil tends to penetrate deep in the concrete. Oil Ingester eats away at the oil and does not wash it into WWTP or city drainage runoffs.

130-200

	Item #	Unit	MSRP
	OE5-1	1 gallon (5 gallon RTU)	\$82.50
ALANS- ME	OE25-5	5 gallon (25 gallon RTU)	\$412.50
Contraction N	OE275-55	55 gallon (275 gallon RTU)	\$3,833.00

DAY 1





# **FEATURES**

400-600FT2


- Safely removes oil stains from most surfaces
- Stops oil from continually wicking to the surface
- Does not damage colorants, sealers or stain protectors
- Works best above 55°F and with regular applications

### **EZ ETCH** Concrete Surface Etching Agent

Ameripolish<sup>®</sup> EZ Etch cleans excess mortar, free latent lime, grease, oil, food stains and organic material from concrete floors and also opens up the pores/surface of the concrete to prepare it for penetrating products such as Ameripolish<sup>®</sup> ColorJuice E, AquaShield, overlay concrete systems and water or solvent-based sealers. EZ Etch is environmentally friendly and nonabrasive. It is for use on polished concrete, stone, terrazzo and other custom concrete surfaces.

- Opens the concrete to prepare it for penetrating agents
- Safe for interior and exterior environments
- Biodegradeable, low odor and nonflammable
- Can be used safely on new or restoration construction, industrial facilities, commercial spaces, food packaging facilities and residential areas

Item #	Unit	MSRP
EZE2-1	1 gallon (2 gallon RTU)	\$45.00
EZE10-5	5 gallon (10 gallon RTU)	\$225.00
EZE60-30	30 gallon (60 gallon RTU)	CDFP*
EZE110-55	55 gallon (110 gallon RTU)	CDFP*
		*Call Distributor for Pricing*



**AMERIPOLISH<sup>®</sup> COLOR CHARTS** Classic / Surelock<sup>™</sup> / Dye-n-Seal Color Chart

Ameripolish<sup>®</sup> offers 24 stock colors, covering the most common color choices seen in floors today. Custom colors are available upon request, but they are made to order. The colors listed are only a representation of the Ameripolish<sup>®</sup> Concrete Dyes. Change in concrete slab colors will affect the appearance of the dye. Color results cannot be guaranteed. Actual colors may vary. For a more accurate representation see our "Ameripolish<sup>®</sup> Color Charts" handouts, or order a hard sample!

LOWRIDER

GOLD	EDGE TINIT	RAW SIENNA	EDGETINIT	CARMEL	EDGE TINIT	SAND	EDGETINIT	TERRA COTTA	EDGE TINIT	MAHOGANY	EDGE TINIT
SADDLE BROWN	EDGE TINIT	CHOCOLATE BROWN	EDGE TINIT	WALNUT	EDGE TINIT	BURNT SIENNA	EDGE TINIT	CHESTNUT	EDGE TINIT	MARDON	EDGE TINIT
SEPIA	EDGE TINIT	EGGPLANT	EDGE TINIT	TURQUOISE	EDGE TINIT	SLATE BLUE	EDGE TINIT	PATRIOT BLUE	EDGE TINIT	GREEN	EDGE TINIT
PINE GREEN	EDGE TINIT	FOREST GREEN	EDGE TINIT	BLACK	EDGE TINIT	MIDNIGHT BLACK	EDGE TINIT	RED	EDGE TINIT		EDGE TINIT



## FEATURES

- Leaves little to no residual dye on surface, saving time on cleaning and dye expense
- Doubles the coverage rate of concrete dyes
- Lower evaporation rate allows the use of an Ameripolish<sup>®</sup> microfiber mop, saving time on taping and masking
- Allows concrete dyes to be applied at higher grit levels, such as 800 or 1,500 grit for color enhancement or refurbishing

Ameripolish<sup>®</sup> ColorSolve<sup>™</sup> is a solvent carrier designed and recommended for use with Ameripolish<sup>®</sup> Classic and SureLock<sup>™</sup> concrete dyes. ColorSolve<sup>™</sup> is extremely easy to use and leaves little to no residual dye on the surface. Use of ColorSolve<sup>™</sup> extends the dye coverage rate, increasing it up to 1,000 square feet per gallon! ColorSolve<sup>™</sup> should be applied by using an appropriate solvent sprayer with or without a microfiber mop. Due to the lower evaporation rate of ColorSolve<sup>™</sup>, using an Ameripolish<sup>®</sup> microfiber mop reduces labor costs, saves time and extends the square footage of your dye. Use of ColorSolve<sup>™</sup> does not require taping and masking in preparation for the dye treatment. Another unique feature of ColorSolve<sup>™</sup> is that it allows concrete dyes to be applied at higher grit levels, such as 800 and 1,500 grit for color enhancement or reapplication and refurbishing.

Item #	Unit	MSRP
CS-1	1 gallon	\$55.00
CS-5	5 gallon	\$242.00
CS-55	55 gallon	CDFP*
		*Call Distributor for Pricing*

# THE DIFFERENCE BETWEEN AMERIPOLISH<sup>®</sup> CONCRETE COLOR SYSTEMS

### **CLASSIC DYES**



Ameripolish<sup>®</sup> Classic Dyes are recommended to be mixed with ColorSolve<sup>™</sup> and have a mixing time of approximately three hours before applying. Classic is available in 24 colors.

### SURELOCK™ DYES



Ameripolish<sup>\*</sup> SureLock<sup>™</sup> Dyes can be mixed with ColorSolve<sup>™</sup> or water and require no dwell time after mixing. SureLock<sup>™</sup> is available in 24 colors.

### **DYE-N-SEAL PRO DYES**



Ameripolish<sup>\*</sup> Dye-N-Seal Pro Dyes are recommended to be mixed with ColorSolve<sup>™</sup> and have a dwell time of approximately three hours before applying. For best results use Dye-N-Seal Pro dyes when dying and sealing concrete only. Dye-N-Seal Pro is available in 24 colors.

### **DYE-N-SEAL WB DYES**



Ameripolish<sup>®</sup> Dye-N-Seal WB Dyes can be mixed with ColorSolve<sup>™</sup> or water and require no dwell time after mixing. For best results use Dye-N-Seal WB dyes when dying and sealing concrete only. Dye-N-Seal WB is available in 24 colors.

### **EDGE TINT DYES**



Ameripolish<sup>®</sup> Edge Tint Dyes are used along the edges to avoid having to grind and polish all the way up to the wall, saving time and money. Edge Tint is a system and must be mixed together with parts A & B. Edge Tint dyes come in the same colors offered for Ameripolish<sup>®</sup> standard dyes.

### **OS INTEGRAL COLORS**



Ameripolish<sup>®</sup> OS Integral Color is used with overlay floors. It can be used in combination with ColorSolve<sup>™</sup> mixed dye to enhance the color of the floor.

## **COLORJUICE E**



Ameripolish<sup>®</sup> ColorJuice E dyes with pigments that are for external use, due to their UV stability. ColorJuice E comes in 13 unique colors that can be used on driveways, patios, walkways, outdoor countertops and much more.

en considered a cathence," Murphy said, "Its

#### 1-800-592-9320



# **CLASSIC DYES**

### Chemically Bonding Dyes for Polished Concrete

Ameripolish<sup>®</sup> Classic Dyes were designed specifically for polished and exposed concrete. The Ameripolish<sup>®</sup> Classic Dyes penetrate into the surface of the concrete slab for extremely long-lasting color that will not wear from daily usage. Classic Dyes can be used as a base color or touch up for concrete that has received integral color, dry shake hardeners and acid stains; it can even be layered to create a truly unique, mottled effect.

Unit	MSRP
1 gallon	\$69.00
5 gallon	\$299.00
Sample bottle	\$8.50
Full set of samples (24)	\$102.00




### **FEATURES**

- Solvent-based. It mixes with Ameripolish<sup>®</sup> ColorSolve<sup>™</sup> and is VOC compliant
- Colors penetrate the surface and never wear off
- Will not grind off during resin-grinding stages of polished concrete
- Coordinate with Ameripolish<sup>®</sup> Edge Tints for a seamless wall-to-wall floor solution
- For indoor use only

### **SURELOCK<sup>™</sup> DYES** Chemically Bonding Dyes for Polished Concrete

The Ameripolish<sup>®</sup> SureLock<sup>™</sup> Dyes formula has recently been updated, making them the most vibrant concrete dyes Ameripolish<sup>®</sup> has ever produced. SureLock<sup>™</sup> Dyes are versatile colorants for polished concrete that mix with water or Ameripolish<sup>®</sup> ColorSolve<sup>™</sup>. SureLock<sup>™</sup> Dyes are to be applied just before densifying with 3D HS or HSL, helping the color penetrate and chemically bond to the concrete. The pre-dissolved concentrate liquid is fast and easy-to-use. The formula includes UV stabilizers to resist fading, as well as a penetrating agent to eliminate further mixing and develop deep, rich colors even on hard, dense concrete.

Unit	MSRP
1 gallon	\$69.00
5 gallon	\$299.00
Sample bottle	\$8.50
Full set of samples (24)	\$102.00



- Mixes with water or Ameripolish<sup>®</sup> ColorSolve<sup>™</sup> and is VOC compliant
- Consistent, rich penetrating color with UV stabilizers that resist fading
- May be used with 3D line densifiers to chemically bond to the concrete
- Liquid concentrate eliminates three-hour wait to dissolve dye required by other products
- For indoor use only



### **DYE-N-SEAL PRO SB DYES** Solvent-Based Penetrating Dye for All Concrete

Ameripolish<sup>\*</sup> Dye-N-Seal Pro SB concrete dye system is for professional decorative concrete installers. The product was formulated using extremely fine molecules of color designed to penetrate and color most interior concrete surfaces. Dye-N-Seal dye can be used as a stand-alone color application on concrete, or it can be used after acid staining concrete in order to add color to problem areas that will not react to acid stain.

Unit	MSRP
1 quart	\$39.00
1 gallon	\$69.00
5 gallon	\$299.00
Sample bottle	\$8.50
Full set of samples (24)	\$102.00



- Easy to apply, with 1/3 the application time of acid stains
- Fast-drying and solvent-based, available in 24 colors
- Can be used as a base coat or touch up application for acid stains
- Ideal for interior concrete applications



# **DYE-N-SEAL WB DYES**

### Water-Based Dye for All Concrete

Ameripolish<sup>\*</sup> Dye-N-Seal WB Dye is a UV-resistant interior concentrated colorant that is mixed with water onsite for easy use. Coverage rates will vary significantly based on the porosity of the concrete. Expect approximately 400 square feet per gallon for the first application and 500-700 square feet for each additional application.

Unit	MSRP
1 gallon	\$69.00
5 gallon	\$299.00
Sample bottle	\$8.50
Full set of samples (24)	\$102.00




### **FEATURES**

- Packaged as a concentrate and mixed with water onsite
- Can be used as a base coat or touch up application for integrally colored concrete, dry shake hardeners and acid stains
- Ideal for interior concrete applications

### **EDGE TINT** Colorant for Edges and Borders

Ameripolish<sup>®</sup> Edge Tint provides wall-to-wall color options for border striping and edging areas that are difficult to grind and polish. Ameripolish<sup>®</sup> Edge Tint is a mixture of Ameripolish's<sup>®</sup> proprietary non-yellowing acrylic blend (Part A) and the Ameripolish<sup>®</sup> Dye coloring pack (Part B), available in coordinating Classic colors to eliminate edge work and complement any floor design.

Item #	Unit	MSRP
EDG-100A-1	1 gal / Edge Tint Part A	\$55.00
EDG-B-(Color)	8 oz / Edge Tint Part B	\$69.00





- Available in 24 Ameripolish<sup>®</sup> Classic coordinating colors
- Creates uniform edges and borders to eliminate edge work
- Resists most oil, grease and food stains
- Coverage rate is approximately 800-1,000 linear feet, 4 inches wide, with two coats

## AMERIPOLISH<sup>®</sup> COLOR CHARTS OS Integral Color Chart

Ameripolish<sup>\*</sup> offers 18 stock OS Integral Colors, covering the most common color choices seen in floors today. Custom colors are available upon request but are made to order. The colors listed are only a representation of the Ameripolish<sup>\*</sup> OS Integral Colors. Change in concrete slab colors will affect the appearance of the dye. Color results cannot be guaranteed. Actual colors may vary. All color swatches below using Ameripolish<sup>®</sup> OS Integral Color are representation of when mixed with CTS Cement Rapid Set<sup>®</sup> TRU<sup>™</sup>.



White 303



Modern Steel 332



Yellow 362





Saddle Brown 404



Olive Green 432



Oyster 311



Walnut 344



Bright Blue 452



Stone 312



Burnt Sienna 374



Green 442



Charcoal 314



Terra Cotta 384



Red 422



Midnight Black 322



Sand 352



Eggplant 412

1-800-592-9320



# **OS INTEGRAL COLOR**

### Integral Color for Cementitious Overlays

Ameripolish<sup>®</sup> OS Integral Color is a concentrated liquid dispersion of mineral oxide pigment particles formulated to color concrete, and it is available in a broad range of hues. OS Integral Color meets ASTM-C979, Standard Specification for Pigments for Integrally Colored Concrete, and it is approved by the manufacturer of Rapid Set<sup>®</sup> TRU<sup>™</sup>, a leading cementitious self-leveling polishable overlay.

Unit	MSRP
Made to order	CDFP*

\*Call Distributor for Pricing

### **FEATURES**

- Does not alter mix properties
- Maintains original strength
- Colorfast in outdoor settings
- Premeasured units equal standard dose for one 50-pound bag of TRU or other overlay products
- Meets ASTM-C979 standard

# **PENETRATING AGENT PLUS**

#### Penetrating Agent for Colorant and Dyes

With the addition of the Ameripolish<sup>\*</sup> Penetrating Agent Plus, the acetone flash is delayed from seven to eight seconds to 30+ seconds, providing ample time for dyes to penetrate further into the concrete and additional decorative applications to be performed. It is for use with any Ameripolish<sup>®</sup> solvent-based dye.

Item #	Unit	MSRP
PEN1PLUS	32oz (1-4oz/gal Dye) 1oz	\$42.00



- Improves dye penetration
- Minimizes surface residue and reduces
  materials waste
- Very easy-to-use container; just add 4oz to a premixed gallon of dye
- Extends the drying time of Ameripolish<sup>®</sup> solvent-based dyes
- Can be used on most cementitious surfaces
- Ideal for very dense or hard concrete where
  normal dye will not penetrate

## AMERIPOLISH<sup>®</sup> COLOR CHARTS ColorJuice E Color Chart

Ameripolish<sup>\*</sup> offers 13 stock ColorJuice E colors, covering the most common color choices seen in exterior concrete surfaces today. Custom colors are available upon request but are made to order. The colors listed are only a representation of the Ameripolish<sup>\*</sup> ColorJuice E Dyes. Change in concrete slab colors will affect the appearance of the dye. Color results cannot be guaranteed. Actual colors may vary.





## **COLORJUICE E** Exterior Concrete Colorant

ColorJuice E Concrete Colorant is a fast, easy way to apply color to some types of interior and many types of exterior concrete. ColorJuice E is an improved formula of the old ColorJuice 3D and has an identical application process. It provides durable, rich hues by bonding color pigment directly into the concrete. ColorJuice E is ideal for porous concrete finishes, such as broom-finished or stamped concrete, including pavements, porches, patios, driveways, sidewalks and pool decks. ColorJuice E can also be used for interior concrete (at the appropriate grit stages), such as garage floors, and it can be applied to other cementitious surfaces.

Item #	Unit	MSRP
CJHARD-1	1 Gallon/Hardener Part A	\$27.50
*RPCS	1 Gallon/Colorant Part B	\$45.00
CJHARD-5	5 Gallon/Hardener Part A	\$137.50
*RPCS	5 Gallon/Colorant Part B	\$225.00
*RPCS	Sample Bottle	\$8.50
CJ100	Full Sample Kit	\$126.00

\*Reference Product Code Sheet




- Ideal for indoor or outdoor use
- Fast, easy application
- Available in 14 transparent colors
- Water-based and UV stable
- Low VOC
- Works well with our X-Link series sealers
- Best results when EZ Etch is used to prep surface before color application



## Meat & Poultry

## AMERIPOLISH<sup>®</sup> Hybrid Silicate Densifiers



Three different size silicate molecules fully penetrate varying densities of concrete, regardless of region or hardness.

12



## **3D HS DENSIFIER** Hybrid Silicate Densifier

Ameripolish<sup>\*</sup> 3D HS (three densifiers in one product) Hybrid Silicate Densifier improves surface performance and resists the harmful effects of traffic wear and weathering. By having three different size molecule silicates, this product fully penetrates varying densities of concrete, regardless of region or hardness. The penetration improves the abrasion resistance for new or aged concrete. 3D HS is ideal for use on exposed and polished concrete, as well as cements with integral color.

Item #	Unit	MSRP
AP3DHS-1	1 gallon RTU	\$62.73
AP3DHS-5	5 gallon RTU	\$216.30
AP3DHS-30	30 gallon RTU	\$1297.80
AP3DHS-55	55 gallon RTU	CDFP*
AP3DHS-250	250 gallon RTU	CDFP*
		*Call Distributor for Pricing




#### **FEATURES**

- Ideal for new or existing concrete
- Hardens deep within the slab to improve durability, even after grinding
- Contains UV stabilizers to help protect color from fading
- Enhances polished color, gloss and clarity
- Contains stain-resistant chemicals to help prevent penetration of stains
- Minimizes dust for healthier indoor air quality

### **3D HSL DENSIFIER** Low Solids Hybrid Silicate Densifier

Ameripolish<sup>\*</sup> 3D HSL (three densifiers in one product) Hybrid Silicate Densifier is formulated with three different size molecule silicates to penetrate even the most difficult, tight floor cap. 3D HSL strengthens and densifies from within the concrete by providing strength at multiple levels of the slab. 3D HSL improves surface performance and resists the harmful effects of traffic wear and weathering by improving the abrasion resistance for new or aged concrete. 3D HSL is ideal for use on exposed and polished concrete, as well as integrally colored cements.

Item #	Unit	MSRP
AP3DHSL-1	1 gallon RTU	\$31.36
AP3DHSL-5	5 gallon RTU	\$108.15
AP3DHSL-30	30 gallon RTU	\$648.90
AP3DHSL-55	55 gallon RTU	CDFP*
AP3DHSL-250	250 gallon RTU	CDFP*



- Hardens deep within the slab to improve durability, even after grinding
- Contains UV stabilizers to help protect color from fading
- Ideal for new construction, existing concrete and diamond pad burnishing- only specs
- Enhances polished color, gloss and clarity
- Provides superior stain resistance especially when combined with SR<sup>2</sup> sealer



### **ECO-HARD MS** Mono-Silicate Densifier

Ameripolish<sup>®</sup> Eco-Hard MS Mono-silicate Densifier improves surface performance and resists the harmful effects of traffic wear and weathering. Ameripolish<sup>®</sup> Eco-Hard MS dust proofs, hardens and cures the targeted surface in order to protect against dusting, pitting, spalling and efflorescence that can be seen on untreated concrete. Ameripolish<sup>®</sup> Eco-Hard MS is odorless, colorless and non-toxic.

Item #	Unit	MSRP
ECOMS-55	55 gallon RTU	\$1,237.50
ECOMS-250	250 gallon RTU	\$5,625.00




#### **FEATURES**

- Ideal for new or existing concrete
- Great for dustproofing
- Contains 30% solids
- Enhances polished color, gloss and clarity
- Minimizes dust for healthier indoor air quality

### **ECO-HARD MS PLUS** Mono-Silicate Densifier with Higher Solids

Ameripolish<sup>®</sup> Eco-Hard MS PLUS Mono-silicate Densifier improves surface performance and resists the harmful effects of traffic wear and weathering. Ameripolish<sup>®</sup> Eco-Hard MS PLUS dust proofs, hardens and cures the targeted surface in order to protect against dusting, pitting, spalling and efflorescence that can be seen on untreated concrete. Ameripolish<sup>®</sup> Eco-Hard MS PLUS is odorless, colorless and non-toxic.

Item #	Unit	MSRP
ECOPLUS-5	5 gallon RTU	\$180.00
ECOPLUS-55	55 gallon RTU	\$1,980.00
ECOPLUS-250	250 gallon RTU	\$9,000.00



- Ideal for new or existing concrete
- Great for dustproofing
- Contains 40% solids
- Enhances polished color, gloss and clarity
- Minimizes dust for healthier indoor air quality




Ameripolish<sup>®</sup> 2D PL is a multi-silicate blend that is intended for use on extremely porous concrete. 2D PL sets up faster than other Ameripolish<sup>®</sup> densifiers, which keeps the majority of the 2D PL at the surface of the concrete in order to harden the wearable surface. Its ideal use is on open or porous concrete that will readily accept densifiers. When used in conjunction with Ameripolish<sup>®</sup> SR2 Stain Resistor, it is especially effective at resisting stains.

Item #	Unit	MSRP
2DPL-5	5 gallon RTU	\$146.78
2DPL-55	55 gallon RTU	\$1,614.53
2DPL-250	250 gallon RTU	CDFP*

\*Call Distributor for Pricing



- Fast-setting, designed for porous concrete
- Ideal for new or existing concrete
- Multi-silicate to penetrate varying densities of concrete
- Hardens the wearable surface of porous concrete
- Contains stain-resistant chemicals to help prevent penetration of stains
- Minimizes dust for healthier indoor air quality




Ameripolish<sup>®</sup> 3D SP E<sup>m</sup> is a breathable semi-penetrating/semi-topical sealer that helps protect surfaces against stains and etching. 3D SP E<sup>m</sup> creates a water-resistant barrier that prevents liquids from infiltrating the surface, protecting against staining and color dispersion. Compared to the original 3D SP<sup>m</sup> formula, 3D SP E<sup>m</sup> has better abrasion and chemical resistance, but it maintains the same easy application methods you have become accustomed to using.

Item #	Unit	MSRP
3DSPE-1	1 gallon RTU	\$61.80
3DSPE-5	5 gallon RTU	\$309.00
3DSPE-30	30 gallon RTU	\$1,761.30
3DSPE-55	55 gallon RTU	CDFP*
3DSPE-250	250 gallon RTU	CDFP*

\*Call Distributor for Pricing

- RTU = Ready to use
- UV stabilizers help protect against fading
- Creates water-resistant barrier to prevent staining and etching and protect color
- 3D SP E<sup>™</sup> is a color enhancer for polished concrete floors with dye
- Contains 3D densifier properties to aid in hardening and dustproofing





Ameripolish<sup>\*</sup> AquaShield Waterproofing Treatment is a long-lasting treatment that provides water repellency to any concrete surface, helping to prevent staining and water damage. AquaShield coverage varies depending on the porosity of the concrete. Expect approximately 400 square feet per gallon on a broom finish and approximately 2,000 square feet on less porous finishes.

Item #	Unit	MSRP
AS-5	5 gallon RTU	\$123.60
AS-30	30 gallon RTU	\$741.60
AS-55	55 gallon RTU	CDFP*
AS-250	250 gallon RTU	CDFP*

\*Call Distributor for Pricing

- Ideal for indoor or outdoor use on any concrete or masonry surface
- Extremely long-lasting
- Water-based, fast-drying
- Low VOC and non-flammable





# **SR<sup>2™</sup> AND SR<sup>2™</sup> PLUS** Fully-Penetrating Stain Resistor

<sup>2</sup>SR-treated concrete tile after being submerged in water for 48 hours


www.ameripolish.com





Ameripolish<sup>®</sup> SR<sup>2<sup>™</sup></sup> Plus is a penetrating stain repellent specifically formulated to protect polished, dyed and non-dyed concrete from oil and water-based stains. The water and oil repelling qualities of SR<sup>2<sup>™</sup></sup> Plus provide superior stain protection on most substrates. SR<sup>2<sup>™</sup></sup> Plus can be used as a standalone product, but to obtain optimum performance Ameripolish<sup>®</sup> SR<sup>2<sup>™</sup></sup> Plus is recommended for use with Ameripolish<sup>®</sup> 3D HS or HSL Densifiers. SR<sup>2<sup>™</sup></sup> Plus was formulated to have additional features that increase both gloss and DOI readings, as well as darken and enrich surface colors to which it is applied.

Item #	Unit	MSRP
SR2PLUS-1	1 gallon RTU	\$159.00
SR2PLUS-5	5 gallon RTU	\$786.00
SR2PLUS-55	55 gallon RTU	CDFP*



## **SR**<sup>2™</sup> Fully-Penetrating Stain Resistor

#### FEATURES

- Darkens/enriches the surface color
- Increases both gloss and DOI readings
- Non-topical, penetrating sealer
- Treated surfaces 'breathe' and do not trap moisture
- Excellent stain repellency for residential, commercial and even industrial applications
- Extreme hydrophobic and oleophobic characteristics for maximum stain resistance

Ameripolish<sup>®</sup>  $SR^{2^{\infty}}$  is a penetrating stain repellent specifically formulated to protect polished, dyed and non-dyed concrete from oil and water-based stains. The water and oil repelling qualities of  $SR^{2^{\infty}}$  provide superior stain protection on most substrates.  $SR^{2^{\infty}}$  can be used as a standalone product, but to obtain optimum performance Ameripolish<sup>®</sup>  $SR^{2^{\infty}}$  is recommended for use with Ameripolish<sup>®</sup> 3D HS or HSL Densifiers.

Item #	Unit	MSRP
SR2-1	1 gallon RTU	\$187.62
SR2-5	5 gallon RTU	\$927.48
SR2-30	30 gallon RTU	\$4156.67
SR2-55	55 gallon RTU	CDFP*
SR2-250	250 gallon RTU	CDFP*



- Non-topical, penetrating sealer
- Treated surfaces "breathe" and do not trap moisture
- Excellent stain repellency for residential, commercial and even industrial applications
- Extreme hydrophobic and oleophobic characteristics for maximum stain resistance



# SR<sup>2</sup> WB STAIN RESISTOR

#### Water-Based Fully Penetrating Stain Resistor

Ameripolish<sup>®</sup> SR<sup>2</sup> WB is a water-based, penetrating stain repellent specifically formulated to protect polished, dyed and non-dyed concrete from oil and water-based stains. The water and oil repelling qualities of SR<sup>2</sup> WB provide superior stain protection on most substrates. SR<sup>2</sup> WB can be used as a standalone product, but to obtain optimum performance Ameripolish<sup>®</sup> SR<sup>2</sup> WB is recommended for use with Ameripolish<sup>®</sup> 3D HS or HSL Densifiers.

Item #	Unit	MSRP
SR2WB-1	1 gallon RTU	\$76.00
SR2WB-5	5 gallon RTU	\$380.00
SR2WB-30	30 gallon RTU	\$2,280.00
SR2WB-55	55 gallon RTU	CDFP*
SR2WB-250	250 gallon RTU	CDFP*



- Great alternative where solvent-based products are not applicable
- VOC exempt & non-flammable
- Economical penetrating sealer alternative
- Non-topical, penetrating sealer
- Treated surfaces " breathe" and do not trap moisture
- Excellent stain repellency for residential, commercial and even industrial applications

## X-LINK SERIES Exterior Sealers for ColorJuice E



# X-LINK E (WL)

#### Modified Urethane sealer in Wet Look Finish

Ameripolish<sup>®</sup> X-Link E (WL) is a modified urethane high-gloss sealer. Modified from our original X- Link WL, X-Link E (WL) provides a true wet look. X-Link E (WL) is extremely durable and breathable from beneath the concrete. X-Link E (WL) is designed for use with ColorJuice E, but it can be used to seal natural concrete and other masonry surfaces such as porous brick, natural and manufactured stone, stucco, slate and flagstone.

Item #	Unit	MSRP
XSWL-1	1 gallon RTU	\$39.80
XSWL-5	5 gallon RTU	\$198.17
XSWL-30	30 gallon RTU	\$1129.76
XSWL-55	55 gallon RTU	CDFP*
XSWL-250	250 gallon RTU	CDFP*

#### 6C-10C PER FT<sup>2</sup> 300-500<sub>FT<sup>2</sup></sub> PER GALLON

\*Call Distributor for Pricing

- RTU = Ready to use
- Provides high gloss on broom-finished concrete
- Breathable & fast drying
- Pairs well with ColorJuice E
- Use on natural or colored concrete



## **X-LINK WB** Water-Based Sealer in Matte Finish

Ameripolish<sup>\*</sup> X-Link WB Surface Sealer is a stain protector for exterior and interior concrete. This fast drying, water-based sealer was designed for use with ColorJuice E, but it may also be used on uncolored concrete or with other compatible color products. It is ideal for any concrete or cementitious surface, as well as porous brick, natural and manufactured stone, stucco, slate, unglazed tile and flagstone.

Item #	Unit	MSRP
XS-1	1 gallon RTU	\$31.80
XS-5	5 gallon RTU	\$159.00
XS-30	30 gallon RTU	\$906.50
XS-55	55 gallon RTU	CDFP*
XS-250	250 gallon RTU	CDFP*



#### \*Call Distributor for Pricing


#### **FEATURES**

- RTU = Ready to use
- Non-yellowing finishes
- Breathable and fast-drying
- Oil and chemical resistant
- Added mildew and UV protection
- Ideal for indoor or outdoor applications

# **DNS-400**

#### Sprayable Acrylic Sealer

Ameripolish<sup>\*</sup> DNS-400 is a sprayable acrylic sealer that is fast-drying and long-lasting to protect and beautify concrete finishes. DNS-400 contains complex additives and acrylics not found in any other sealers to provide outstanding UV protection, as well as fungicides to prevent mildew growth. Independent testing has proven DNS-400's longevity to exceed three years during normal usage conditions, making it ideal for lasting protection on colored or uncolored, stamped or exposed concrete, porous brick, natural and manufactured stone, stucco, slate, unglazed tile and flagstone.




- Ideal for indoor or outdoor use
- Added mildew and UV protection
- Oil and chemical resistant
- Perfect for sealing after using Dye-N-Seal Pro colors

## **SALTSHIELD** Salt Repellent Treatment for Concrete




Ameripolish<sup>®</sup> SaltShield<sup>™</sup> Salt Repellent Treatment is a long-lasting treatment that provides salt repellency to any concrete surface, helping to prevent damage. SaltShield<sup>™</sup> coverage varies depending on the porosity of the concrete.

Item #	Unit	MSRP
SALTS-1	1 gallon RTU	\$31.85
SALTS-5	5 gallon RTU	\$156.85
SALTS-30	30 gallon RTU	\$920.00
SALTS-55	55 gallon RTU	CDFP*
SALTS-250	250 gallon RTU	CDFP*
		*Call Distributor for Pricing



- Ideal for use on any concrete or masonry surface indoor or outdoor
- Extremely long-lasting
- Water-based, fast-drying
- Low VOC and non-flammable
- Low odor
- Does not alter surface appearance




Ameripolish® G series pads are floor burnishing pads for use on high-speed floor machines that operate in the 1500-3000 RPM range. The pad is made of polyester fibers in a nonwoven construction. This product is designed for the dry burnishing phase after Ameripolish® stain protection is applied and dried. The pads are available in varying sizes.

Item #	Unit	MSRP
G3-27-2	27" G3 Burnishing Pad 2 Pack	\$120.00
G3-24-2	24" G3 Burnishing Pad 2 Pack	\$110.00
G3-21-2	21" G3 Burnishing Pad 2 Pack	\$100.00
G2-27-2	27" G2 Burnishing Pad 2 Pack	\$120.00
G2-24-2	24" G2 Burnishing Pad 2 Pack	\$110.00
G2-21-2	21" G2 Burnishing Pad 2 Pack	\$100.00
G1-27-2	27" G1 Burnishing Pad 2 Pack	\$120.00
G1-24-2	24" G1 Burnishing Pad 2 Pack	\$110.00
G1-21-2	21" G1 Burnishing Pad 2 Pack	\$100.00

### **COMPARED TO A GRIT NUMBER?**

G-Series Pad	Grit Equivalent
G3	3000
G2	1200
G1	600



## **FEATURES**

- Concentrated cleaner that removes daily debris from hard surfaces
- Contains chemical analogues to SR<sup>2™</sup> that reinforce stain protection
- Contains no harsh chemicals
- Environmentally friendly and biodegradable
- Easy to use, tilt-measure bottle
- Low VOC, VOC-compliant
- Ideal for daily cleaning of polished concrete, terrazzo, epoxy, urethane and other hard-surface flooring

Ameripolish<sup>®</sup> Rejuvenating Cleaner is a concentrated multipurpose cleaner that removes daily debris from hard surfaces and reinforces the sealer to extend the life of polished concrete floors. Rejuvenating Cleaner contains no harsh chemicals, and it leaves no build-up on the surface. In addition to polished concrete, it is ideal for use on vinyl tile, ceramic tile, terrazzo, wood and composite materials. It rejuvenates the floor by reapplying trace amounts of densifier and stain-resistant additives while cleaning with an autoscrubber. This practice can delay the reapplication of SR<sup>2™</sup> as far out as every two years.

#### Mixing

4 oz Cleaner for 30 gallons of water 2 oz Cleaner for 15 gallons of water 1 oz Cleaner for 8 gallons of water

Item #	Unit	MSRP
RJCON-10	32 oz Tilt Measure Bottle - 10 pack	\$288.40
RJCON5G-5	5 gallon concentrate	\$550.00

## **SMARTFLOOR<sup>TM</sup> MAINTENANCE** Daily Maintenance and Restoration Pads

The SmartFloor<sup>™</sup> Maintenance concept is engineered to provide the end user with a highly aesthetic floor and an easy and economical way to maintain a polished concrete floor utilizing standard janitorial equipment and existing personnel. The SmartFloor<sup>™</sup> Maintenance System consists of Daily Maintenance Pads (Blue) for daily maintenance and Restoration Pads (Orange) for remediating etches and stains or dull, worn-out floors back to a sustainable aesthetic. The SmartFloor<sup>™</sup> Maintenance System inserts are made of unique composite resin abrasive technology that maintain a highly refined floor without ongoing stock removal, and the system also successfully remediates etches and stains over time!

Pad (Blue)

Maintenance

Restoration Pad (Orange)



- Easy-to-use pad system, Daily Maintenance (Blue) and Restoration (Orange)
- Designed for use under auto-scrubbers and floor machines
- The Daily Maintenance (Blue) pad will maintain and improve the aesthetics, especially Distinctness of Image (DOI) or clarity of a concrete floor, through the process of daily cleaning
- The Restoration (Orange) pad will restore stained and etched floors or a dull, worn-out floor back to a sustainable aesthetic
- Color wear indicator to let you know when to switch pads
- Visibile color while pad is on the machine to always know what pad you are running
- Innovative and patented composite resin abrasive technology
- Available in sizes 13", 14", 15", 16", 17", 18", 20"

## **SP CLEAN & SHINE PADS** Maintenance Pad for Guarded Floors

**FEATURES** 

- For guarded floors with a topical coating such as Ameripolish<sup>®</sup> 3D SP<sup>™</sup> or 3D SP E<sup>™</sup> Stain Protector
- Used with standard janitorial equipment such as an auto-scrubber or floor machine
- Open-loft white driver pad cleans by removing dirt and debris up and away from the surface
- Achieves maximum cleanliness and aesthetical values
- Available in size 13", 14", 15", 16", 17", 18", 20"

The Ameripolish<sup>®</sup> SP Clean & Shine Pad is a composite of two different technologies designed to provided maximum aesthetics and cleanliness values. The outer pad consists of an open-loft construction designed to lift and remove dirt and debris up and away from the floor while the inner pad has a tighter, denser construction that provides an excellent polishing effect. The Ameripolish<sup>®</sup> SP Clean & Shine Pad was designed for floors protected by Ameripolish<sup>®</sup> 3D SP<sup>™</sup> or 3D SP E<sup>™</sup> Stain Protector, but testing has shown excellent results with any guard-type floor.





Ameripolish<sup>®</sup> CFE 2000 is our latest cleaning solution designed to break down the toughest and most troublesome stains. CFE 2000 is very effective in environments where other aggressive chemicals are unsuccessful. CFE 2000 is eco-friendly and comes in a concentrate intended for automatic scrubber use.

Item #	Unit	MSRP
CFE2000-1	1 gallon RTU	\$42.00
CFE2000-5	5 gallon RTU	\$210.00
CFE2000-30	30 gallon RTU	CDFP*
CFE2000-55	55 gallon RTU	CDFP*

- Cleans the toughest grease and oil stains
- Breaks down organic material
- Removes salts and minerals that can cause efflorescence
- Eco-friendly
- Concentrate
- Usable in automatic scrubber or in concentrate form for troublesome areas



## **STAIN SLAYER** Color-Etch Removing Solution

214

Ameripolish<sup>®</sup> Stain Slayer is our spot-fixing solution designed to remove color etching introduced with most troublesome stains. Stain Slayer is very effective in environments where other aggressive chemicals are unsuccessful.

Item #	Unit	MSRP
APSTSL-1	1 gallon RTU	\$18.80
APSTSL-5	5 gallon RTU	\$87.27
APSTSL-30	30 gallon RTU	\$490.91
APSTSL-55	55 gallon RTU	CDFP*
		*Call Distributor for Pricing

- Spot fix unsightly stains
- Fast-acting (within minutes)
- Removes salts and minerals that can cause efflorescence
- Restores floors with color stain back to their original color



Ameripolish® Inc. 120 Commercial Ave. | Lowell, AR 72745 Toll Free: 1-800-592-9320 | Phone: (479) 725-0033 | Fax: (479) 725-0031 www.ameripolish.com