


Safety Data Sheet
acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Revision: June 01, 2021

1 Identification

- **Product identifier**
- **Trade name:** Ameripolish Dye N Seal WB Dye
- **Other means of identification:** No other identifiers
- **Recommended use and restriction on use**
- **Recommended use:** Concrete Stain
- **Restrictions on use:** For professional use only.
- **Details of the supplier of the Safety Data Sheet**
- **Manufacturer/Supplier:**
Ameripolish, Inc.
120 Commercial Ave
Lowell, AR. 72745
USA
(479) 725-0033
- **Emergency telephonenumber:**
VelocityEHS
(800)255-3924 (North America)
+1 (813)248-0585 (International)

2 Hazard(s) identification

- **Classification of the substance or mixture**
Flam. Liq. 3 H226 Flammable liquid and vapor.
Acute Tox. 4 H302 Harmful if swallowed.
Skin Irrit. 2 H315 Causes skin irritation.
Eye Irrit. 2A H319 Causes serious eye irritation.
Skin Sens. 1 H317 May cause an allergic skin reaction.
- **Label elements**
- **GHS label elements**
The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms:**

GHS02 GHS07
- **Signal word:** Warning
- **Hazard statements:**
H226 Flammable liquid and vapor.
H302 Harmful if swallowed.
H315 Causes skin irritation.
H319 Causes serious eye irritation.
H317 May cause an allergic skin reaction.
- **Precautionary statements:**
P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P233 Keep container tightly closed.

(Cont'd. on page 2)

Safety Data Sheet
acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Revision: June 01, 2021

Trade name: Ameripolish Dye N Seal WB Dye

(Cont'd. of page 1)

- P240 Ground/bond container and receiving equipment.
- P241 Use explosion-proof electrical/ventilating/lighting/equipment.
- P242 Use only non-sparking tools.
- P243 Take precautionary measures against static discharge.
- P261 Avoid breathing mist, vapors, or spray.
- P264 Wash thoroughly after handling.
- P270 Do not eat, drink or smoke when using this product.
- P272 Contaminated work clothing must not be allowed out of the workplace.
- P280 Wear protective gloves/protective clothing/eye protection.
- P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.
- P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
- P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P330 Rinse mouth.
- P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
- P337+P313 If eye irritation persists: Get medical advice/attention.
- P363 Wash contaminated clothing before reuse.
- P370+P378 In case of fire: Use for extinction: CO2, powder or water spray.
- P403+P235 Store in a well-ventilated place. Keep cool.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Other hazards** There are no other hazards not otherwise classified that have been identified.

3 Composition/information on ingredients

· **Chemical characterization: Mixtures**

· **Components:**

Component 1	Trade Secret ⚠ Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2A, H319	Trade Secret
Component 2	Trade Secret ⚠ Flam. Liq. 3, H226 ⚠ Acute Tox. 4, H312; Eye Irrit. 2A, H319	Trade Secret
Component 3	Trade Secret ⚠ Eye Irrit. 2A, H319	Trade Secret
Component 4	Trade Secret	Trade Secret
Component 5	Trade Secret	Trade Secret
Component 6	Trade Secret ⚠ Skin Sens. 1, H317	Trade Secret

· **Additional information:** For the wording of the listed Hazard Statements refer to section 16.

4 First-aid measures

· **Description of first aid measures**

· **After inhalation:** Supply fresh air; consult doctor in case of complaints.

(Cont'd. on page 3)

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Revision: June 01, 2021

Trade name: Ameripolish Dye N Seal WB Dye

(Cont'd. of page 2)

- **After skin contact:**
Immediately wash with water and soap and rinse thoroughly.
If skin irritation or rash occurs: Get medical advice/attention.
- **After eye contact:**
Immediately remove contact lenses if possible.
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:**
Rinse out mouth and then drink plenty of water.
Do not induce vomiting; immediately call for medical help.
- **Most important symptoms and effects, both acute and delayed:**
Irritant to skin and mucous membranes.
Causes eye irritation.
Nausea in case of ingestion.
Gastric or intestinal disorders when ingested.
Allergic reactions
- **Danger:** Harmful if swallowed.
- **Indication of any immediate medical attention and special treatment needed:**
Contains bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate. May produce an allergic reaction.
Treat skin and mucous membrane with antihistamine and corticoid preparations.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**
CO₂, extinguishing powder or water spray. Fight larger fires with water spray.
- **For safety reasons unsuitable extinguishing agents:** Water stream.
- **Special hazards arising from the substance or mixture**
Formation of toxic gases is possible during heating or in case of fire.
- **Advice for firefighters**
- **Protective equipment:**
Wear self-contained respiratory protective device.
Wear fully protective suit.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**
Wear protective equipment. Keep unprotected persons away.
Ensure adequate ventilation.
Keep away from ignition sources.
- **Environmental precautions**
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- **Methods and material for containment and cleaning up**
Absorb with non-combustible liquid-binding material (sand, diatomite, acid binders, universal binders).
Send for recovery or disposal in suitable receptacles.
- **Reference to other sections**
See Section 7 for information on safe handling.

(Cont'd. on page 4)

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Revision: June 01, 2021

Trade name: Ameripolish Dye N Seal WB Dye

(Cont'd. of page 3)

See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

- **Handling**
- **Precautions for safe handling:**
Open and handle receptacle with care.
Use only in well ventilated areas.
Avoid contact with the eyes and skin.
Avoid breathing mist, vapors, or spray.
Keep out of reach of children.
- **Information about protection against explosions and fires:**
Flammable liquid and vapor.
Flammable gas-air mixtures may be formed in empty containers/receptacles.
- **Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and receptacles:**
Store in cool, dry conditions in well sealed receptacles.
- **Information about storage in one common storage facility:**
Store away from foodstuffs.
Store away from oxidizing agents.
- **Specific end use(s)** No relevant information available.

8 Exposure controls/personal protection

- **Control parameters**
- **Components with limit values that require monitoring at the workplace:**
The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.
At this time, the other constituents have no known exposure limits.

Component 2

EV (Canada)	Long-term value: 110 mg/m ³ , 25 ppm Skin
-------------	---

Component 4

PEL (USA)	Long-term value: 1 mg/m ³
REL (USA)	Long-term value: 0.5* mg/m ³ *metal+inorg.compds.as Cr;See Pocket Guide App. C
TLV (USA)	Long-term value: (0.5) 0.5* mg/m ³ *inhalable fraction, as Cr(0)
EL (Canada)	Long-term value: 0.5 mg/m ³ as metal
EV (Canada)	Long-term value: 0.05 mg/m ³

(Cont'd. on page 5)

Safety Data Sheet
acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Revision: June 01, 2021

Trade name: Ameripolish Dye N Seal WB Dye

(Cont'd. of page 4)

LMPE (Mexico)	Long-term value: 0.5 mg/m ³ A4
Component 5	
PEL (USA)	Long-term value: 1* 0.1** mg/m ³ as Cu *dusts and mists **fume
REL (USA)	Long-term value: 1* 0.1** mg/m ³ as Cu *dusts and mists **fume
TLV (USA)	Long-term value: 1* 0.2** mg/m ³ *dusts and mists; **fume; as Cu
EL (Canada)	Long-term value: 1* 0.2** mg/m ³ *dusts and mists; **fume, as Cu
EV (Canada)	Long-term value: 0.2* 1** mg/m ³ as copper, *fume; **dust and mists
LMPE (Mexico)	Long-term value: 0.2* 1** mg/m ³ *humo (como Cu); **polvo y niebla (como Cu)

• **Exposure controls**

• **Personal protective equipment:**

• **General protective and hygienic measures:**

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Avoid contact with the eyes and skin.

Avoid breathing mist, vapors, or spray.

Wash hands before breaks and at the end of work.

• **Engineering controls:** No relevant information available.

• **Breathing equipment:**

Not required under normal conditions of use.

Use suitable respiratory protective device when aerosol or mist is formed.

For spills, respiratory protection may be advisable.

• **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

• **Eye protection:**



Safety glasses

• **Body protection:** Protective workclothing

• **Limitation and supervision of exposure into the environment**

No relevant information available.

• **Risk management measures** No relevant information available.

(Cont'd. on page 6)

Safety Data Sheet
acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Revision: June 01, 2021

Trade name: Ameripolish Dye N Seal WB Dye

(Cont'd. of page 5)

9 Physical and chemical properties

· Information on basic physical and chemical properties

· Appearance:

Form: Liquid
 Color: According to product specification

· Odor: Mild
· Odor threshold: Not determined.

· pH-value: Not determined.
· Melting point/Melting range: Not determined.
· Boiling point/Boiling range: Not determined.

· Flash point: ≥51 °C (≥124 °F)

· Flammability (solid, gaseous): Not applicable.

· Auto-ignition temperature: Not determined.

· Decomposition temperature: Not determined.

· Danger of explosion: Product is not explosive. However, formation of explosive air/vapor mixtures are possible.

· Explosion limits

Lower: Not determined.
 Upper: Not determined.

· Oxidizing properties: Non-oxidizing.

· Vapor pressure: Not determined.

· Density:
 Relative density: Not determined.
 Vapor density: Not determined.
 Evaporation rate: Not determined.

· Solubility in / Miscibility with
 Water: Fully miscible.

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity

Dynamic: Not determined.
 Kinematic: Not determined.

· Other information No relevant information available.

10 Stability and reactivity

- Reactivity:** No relevant information available.
- Chemical stability:**
- Thermal decomposition / conditions to be avoided:**
No decomposition if used and stored according to specifications.
Avoid open flame, ignition sources, contact with incompatible substances.

(Cont'd. on page 7)

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Revision: June 01, 2021

Trade name: Ameripolish Dye N Seal WB Dye

(Cont'd. of page 6)

- **Possibility of hazardous reactions**
Flammable.
Reacts with oxidizing agents.
- **Conditions to avoid** Excessive heat.
- **Incompatible materials** Oxidizers
- **Hazardous decomposition products**
Carbon monoxide and carbon dioxide
Ammonia

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

· **LD/LC50 values that are relevant for classification:**

ATE (Acute Toxicity Estimate)

Oral	LD50	1200-2000 mg/kg
Dermal	LD50	>2000 mg/kg (rabbit)

Component 2

Oral	LD50	2260 mg/kg (mouse) 3100 mg/kg (rat)
Dermal	LD50	1300 mg/kg (rabbit)

- **Primary irritant effect:**
- **On the skin:** Irritant to skin and mucous membranes.
- **On the eye:** Irritating effect.
- **Sensitization:**
Contains bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate. May produce an allergic reaction.
- **IARC (International Agency for Research on Cancer):**
Present in trace quantities.

75-56-9	propylene oxide	2B
---------	-----------------	----

- **NTP (National Toxicology Program):**
Present in trace quantities.

75-56-9	propylene oxide	R
---------	-----------------	---

- **OSHA-Ca (Occupational Safety & Health Administration):**

None of the ingredients are listed.

- **Probable route(s) of exposure:**
Eye contact.
Skin contact.
- **Acute effects (acute toxicity, irritation and corrosivity):**
Harmful if swallowed.
May be harmful in contact with skin.
Irritating to eyes and skin.
- **Repeated dose toxicity:** May cause sensitisation by skin contact.
- **Germ cell mutagenicity:** Based on available data, the classification criteria are not met.
- **Carcinogenicity:** Based on available data, the classification criteria are not met.

(Cont'd. on page 8)

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Revision: June 01, 2021

Trade name: Ameripolish Dye N Seal WB Dye

(Cont'd. of page 7)

- **Reproductive toxicity:** Based on available data, the classification criteria are not met.
- **STOT-single exposure:** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure:** Based on available data, the classification criteria are not met.
- **Aspiration hazard:** Based on available data, the classification criteria are not met.

12 Ecological information

· Toxicity

· Aquatic toxicity

Component 6

LC50 | 0.97 mg/l (Iepomis macrochirus)

- **Persistence and degradability** No relevant information available.
- **Bioaccumulative potential:** No relevant information available.
- **Mobility in soil:** No relevant information available.
- **Additional ecological information**
- **General notes:**
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

· Uncleaned packagings

- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

14 Transport information

· UN-Number

- DOT NA1993
- ADR, IMDG, IATA UN1993

· UN proper shipping name

- DOT Combustible liquid, n.o.s. (2-(propyloxy)ethanol)
- ADR, IMDG FLAMMABLE LIQUID, N.O.S. (2-(propyloxy)ethanol)

(Cont'd. on page 9)

Safety Data Sheet
acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Revision: June 01, 2021

Trade name: Ameripolish Dye N Seal WB Dye

(Cont'd. of page 8)

· **IATA** Flammable liquid, n.o.s. (2-(propyloxy)ethanol)

· **Transport hazard class(es)**

· **DOT**



· **Class** 3 Combustible liquids Combustible liquids
· **Label** 3

· **ADR**



· **Class** 3 (F1) Flammable liquids
· **Label** 3

· **IMDG, IATA**



· **Class** 3 Flammable liquids
· **Label** 3

· **Packing group**

· **DOT, ADR, IMDG, IATA** III

· **Environmental hazards**

· **Marine pollutant:** No

· **Special precautions for user**

Warning: Flammable liquids

· **Danger code (Kemler):**

30

· **EMS Number:**

F-E, S-E

· **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code**

Not applicable.

· **Transport/Additional information:**

· **DOT**

Classified as combustible under US DOT regulations. Labeling is only required for single packages ≥ 119 US gal / 450 L.

· **ADR**



Limited Quantity for packages less than 30 kg gross and inner packagings less than 5 L each.

(Cont'd. on page 10)

Safety Data Sheet
acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Revision: June 01, 2021

Trade name: Ameripolish Dye N Seal WB Dye

(Cont'd. of page 9)

· **IMDG**



Limited Quantity for packages less than 30 kg gross and inner packagings less than 5 L each.

· **IATA**



Limited Quantity for packages less than 30 kg gross and inner packagings less than 1 L each / 5 L net.

15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **United States (USA)**
- **SARA**

· **Section 302 (extremely hazardous substances):**

None of the ingredients are listed.

· **Section 355 (extremely hazardous substances):**

None of the ingredients are listed.

· **Section 313 (Specific toxic chemical listings):**

Component 4	Trade Secret
-------------	--------------

Component 5	Trade Secret
-------------	--------------

· **TSCA (Toxic Substances Control Act)**

Component 1: Not listed on the TSCA Inventory.

Not all ingredients listed.

· **Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):**

Present in trace quantities.

75-56-9	propylene oxide	10000
---------	-----------------	-------

· **Proposition 65 (California)**

· **Chemicals known to cause cancer:**

Present in trace quantities.

75-56-9	propylene oxide
---------	-----------------

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients are listed.

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients are listed.

· **Chemicals known to cause developmental toxicity:**

None of the ingredients are listed.

(Cont'd. on page 11)

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Revision: June 01, 2021

Trade name: Ameripolish Dye N Seal WB Dye

(Cont'd. of page 10)							
<ul style="list-style-type: none"> · Carcinogenic categories 							
<ul style="list-style-type: none"> · EPA (Environmental Protection Agency): <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 15%;">Component 4</td> <td style="width: 70%;">Trade Secret</td> <td style="width: 15%; text-align: center;">D</td> </tr> <tr> <td>Component 5</td> <td>Trade Secret</td> <td style="text-align: center;">D</td> </tr> </table>		Component 4	Trade Secret	D	Component 5	Trade Secret	D
Component 4	Trade Secret	D					
Component 5	Trade Secret	D					
<ul style="list-style-type: none"> · IARC (International Agency for Research on Cancer): Present in trace quantities. <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 15%;">75-56-9</td> <td style="width: 70%;">propylene oxide</td> <td style="width: 15%; text-align: center;">2B</td> </tr> </table>		75-56-9	propylene oxide	2B			
75-56-9	propylene oxide	2B					
<ul style="list-style-type: none"> · NIOSH-Ca (National Institute for Occupational Safety and Health): Present in trace quantities. <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 15%;">75-56-9</td> <td style="width: 70%;">propylene oxide</td> <td style="width: 15%;"></td> </tr> </table>		75-56-9	propylene oxide				
75-56-9	propylene oxide						
<ul style="list-style-type: none"> · Canadian Domestic Substances List(DSL): <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td colspan="3">All ingredients are listed.</td> </tr> </table>		All ingredients are listed.					
All ingredients are listed.							

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Date of preparation / last revision** June 15, 2017 / -

- **Abbreviations and acronyms:**

- ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road
- IMDG: International Maritime Code for Dangerous Goods
- DOT: US Department of Transportation
- IATA: International Air Transport Association
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent
- PBT: Persistent, Bio-accumulable, Toxique
- vPvB: very Persistent and very Bioaccumulative
- NIOSH: National Institute for Occupational Safety and Health
- OSHA: Occupational Safety & Health Administration
- Flam. Liq. 3: Flammable liquids – Category 3
- Acute Tox. 4: Acute toxicity – Category 4
- Skin Irrit. 2: Skin corrosion/irritation – Category 2
- Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A
- Skin Sens. 1: Skin sensitisation – Category 1

- **Sources**

- Website, European Chemicals Agency (echa.europa.eu)
- Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/overview/home.do)
- Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org)
- Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6
- Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5.
- Safety Data Sheets, Individual Manufacturers

SDS Prepared by:

VelocityEHS
 1305 North Florida Avenue
 Tampa, Florida USA 33602-2902
 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

(Cont'd. on page 12)

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Revision: June 01, 2021

Trade name: Ameripolish Dye N Seal WB Dye

(Cont'd. of page 11)

Website: www.chemtelinc.com