

ameripolish.com



— *Trusted by Professionals, American Made* —

PRODUCT CATALOG

PREPARE | COLOR | STRENGTHEN | PROTECT | MAINTAIN

Terrazzo Restoration of Dickies Arena, Fort Worth, TX
Contractor: APEX Group



SUBSCRIBE AND FOLLOW US TODAY!

TABLE OF CONTENTS



PREPARE - Surface Preparation & Abrasives


The SmartFloor™ System	4
SmartFloor™ SystemGuide	6
SmartFloor™ Refinement System - GPR Series Abrasives.....	8
SmartFloor™ Refinement System - TDP Series Abrasives.....	9
Ameripolish® PG-7K	10
Ameripolish® LG-7K	10
Ameripolish® PG-3	11
Ameripolish® Strip & Clean	12
Ameripolish® EZ Etch	12
Ameripolish® PCA	13

COLOR - Concrete Dyes

Ameripolish® Main Color Chart	14
Ameripolish® ColorSolve™	14
Ameripolish® Classic Concrete Dyes	15
Ameripolish® SureLock™ Concrete Dyes	15
Ameripolish® OS Integral Color Chart	16
Ameripolish® OS Integral Color	16
Ameripolish® ColorJuice E Color Chart	17
Ameripolish® ColorJuice E	17



SCAN TO CONTACT OUR EXPERTS AND LEARN MORE



STRENGTHEN - Densifiers

- The Densifier Difference 18
- Ameripolish® 3D HS & 3D HSL 19
- Ameripolish® Eco-Hard MS & Eco-Hard MS PLUS20
- Ameripolish® 3D SF 21
- Ameripolish® 2D PL 21

PROTECT - Stain Protection & Burnishing Pads

- Ameripolish® SR2™ & SR2™ Plus Stain Resistor22-23
- Ameripolish® SR² WB Stain Resistor 23
- Ameripolish® 3D SP E™ 24
- Ameripolish® G Series Burnishing Pads24
- Ameripolish® Polyaspartic 85.....25
- Ameripolish® B-O-G Modified Urethane Coating26
- Ameripolish® DNS-400 26
- Ameripolish® X-Link E (WL) 27
- Ameripolish® X-Link WB 27
- Ameripolish® AquaShield28
- Ameripolish® Salt Shield28

MAINTAIN - Cleaners & Maintenance Pads

- Ameripolish® CFE 200030
- Ameripolish® CryoClean.....30
- Ameripolish® Oil Ingester31
- Ameripolish® Stain Slayer31
- Ameripolish® Rejuvenating Cleaner32
- Ameripolish® SmartFloor™ Maintenance System 33

The SmartFloor™ System

Designed to Install. Engineered to Last.

The SmartFloor™ System sets the industry standard for surface refinement—perfecting DOI (Distinctness of Image) through an innovative, high-performing, wet-polishing abrasive system. This continuous solution unifies polished concrete installation and maintenance into one streamlined process. Powered by patented composite resin abrasive technology, SmartFloor™ delivers consistent surface refinement, exceptional clarity, long-term durability, and sustained performance—driving measurable results and a lower total cost of ownership.



Two Integrated Systems. One Proven Technology.

Refinement System

A high-performance abrasive polishing system designed for installation on a wide range of concrete polishing machines.

Maintenance System

A maintenance-focused abrasive system engineered for commercial and industrial automatic scrubbers, allowing ongoing surface refinement during routine cleaning.

OUR QUALITY WARRANTY

Ameripolish®, Inc. warrants concrete floors treated with the full SmartFloor™ System against excessive Distinctness of Image (DOI) loss. The SmartFloor™ System includes application and maintenance of SmartFloor™ System products by an approved, licensed contractor in accordance with Ameripolish®, Inc. written instructions.

Please contact us for our full warranty in detail.



Continuous Polishing—From Specification to Service

SmartFloor™ redefines polished concrete as an ongoing process. It begins at specification with Ameripolish curing agents, densifiers, and sealers; advances through installation with the SmartFloor™ Refinement System; and is sustained through daily cleaning with the SmartFloor™ Maintenance System.

This approach preserves DOI, minimizes wear, and extends service life for superior long-term performance.

Advanced Materials. Built-In Protection.

The Refinement System utilizes a simplified five-step sequence: **00, 0, 1, 2, 3**. Velcro-mounted, quick-change pads allow rapid transitions between steps, improving efficiency and reducing labor.

Installation includes grinding, optional grouting, densification, and if desired, a dye application, then sealing with Ameripolish® SR2™, and burnishing. The floor then transitions seamlessly into the Maintenance System.

Seamless Transition to Maintenance

The same composite resin abrasive technology is carried over into maintenance, supporting continuous surface refinement through routine cleaning—helping prevent surface degradation, staining, and loss of DOI.

Ameripolish® Rejuvenating Cleaner is essential to the process. Formulated as a neutral cleaner with trace amounts of densifier and stain protection, it reinforces the surface with every use. It lifts contaminants, supports the sealer, and lubricates abrasives—helping maintain both appearance and long-term protection.

The result is a floor that doesn't just stay clean—it becomes progressively refined, maintaining clarity, durability, and protection through consistent, proactive care.

The SmartFloor™ Advantage

- Full-System Products and Specification – Installation to Maintenance
- Continuous polishing throughout the life of the floor
- Long-lasting DOI and enhanced durability
- Reduced life-cycle costs


The SmartFloor™ System is more than polished concrete it's polished concrete, perfected.





System Guide

(all abrasives steps are cut wet)





FEATURES

- Easy-to-use pad system allowing simple swapping in/out of desired pads to the various velcro head attachments on existing machines
- Designed for use with traditional grinding machines or power trowels
- Innovative and patented composite resin abrasive technology
- Seamless transition to SmartFloor™ Maintenance System



SmartFloor™ Refinement System GPR - Series Abrasives

The SmartFloor™ Refinement System GPR - Series Abrasives are designed for use on traditional grinding machines of any manufacturer. The only thing that is needed is a velcro head attachment, and the SmartFloor™ Refinement System GPR Abrasives will attach quickly and easily.

One system. Two applications. The GPR abrasives operate as a full five-step polishing system (00 | 0 | 1 | 2 | 3), with a built-in Three-Step Floor Recovery System that uses Steps 1 | 2 | 3 for DOI restoration on existing polished floors.

Additionally, the SmartFloor™ Refinement System GPR - Series Abrasives can be outfitted to power trowel machines that have circular planetary polishing heads. Just assemble the correct size, and place them on the velcro heads and start polishing!



Item #	Unit	MSRP
GPR-9	9" Rings, All Steps	\$53.00-\$62.00
GPR-11	11" Rings, All Steps	\$65.00-\$74.00
GPR-13	13" Rings, All Steps	\$75.00-\$86.00
GPR-14	14" Rings, All Steps	\$80.00-\$92.00

Other sizes are readily available upon request; MSRP Pricing represents a price-per-pad range.



FEATURES

- Easy-to-use pad system allowing simple swapping in/out of tooling to the universal blade holders
- Universal Blade Holder option
- Designed for use on walk-behind or ride-on power trowels
- Innovative and patented composite resin abrasive technology
- If Power trowel is equipped with round polishing heads – see GPR Series.
- Seamless transition to SmartFloor™ Maintenance System

SmartFloor™ Refinement System TDP - Series Abrasives



The SmartFloor™ Refinement System allows for easy assembly of universal blade holders that will allow the user of the machine to equip abrasives to virtually any power trowel machine. The TDP - Series Abrasives are 12"x8" rectangular tools that velcro to the universal blade holder (Polished concrete process): **00 | 0 | 1 | 2 | 3**

What is the Universal Blade Holder? The Universal Blade Holder is a stainless steel slip-on attachment for power trowel blades, featuring a secure bolt-down fit and a Velcro-backed underside for fast attachment of SmartFloor™ TDP series abrasives.



Item #	Unit	MSRP
TDP128-00-2	00 Blade 2 Pack	\$192.50
TDP128-0-2	0 Blade2 Pack	\$192.50
TDP128-1-2	1 Blade 2 Pack	\$178.75
TDP128-2-2	2 Blade 2 Pack	\$178.75
TDP128-3-2	3 Blade 2 Pack	\$178.75
UVHDLR-2	Universal Blade Holder (2)	\$450.00

PG-7K


Polishable Grout Coating System



Ameripolish® PG-7K is a fast-setting, modified polymer, high-strength cement with outstanding bonding properties and characteristics. Formulated specifically to fill in small cracks, pinholes and surface irregularities in concrete floors, it also increases durability, gloss and distinctness of image (DOI) on most floors. PG-7K readily accepts Ameripolish® concrete dyes and requires no special polishing procedures. Ameripolish® PG-7K Part A - Powder must be mixed with PG-7K Part B - Liquid.

FEATURES

- Fast-setting, high-strength cement that fills in small cracks, pinholes and surface irregularities
- Increases durability, gloss and distinctness of image (DOI) on most floors
- Readily accepts Ameripolish® dyes
- Easy-to-use 2:1 mix ratio
- Complementary to a wet system LG7K



Item #	Unit	MSRP
PG-7K Kit	20lb Bag Part A & 1gl Liquid Part B	\$104.00



LG-7K

Liquid Grout Coating System for Dry Polishing

Ameripolish® LG-7K mixes with the dust created while grinding concrete floors to create a super-durable matrix that automatically fills pinholes, small air voids, pop-outs, microcracks and other gaps in the concrete surface during grinding. LG-7K creates a monolithic surface that polishes faster, easier and more effectively.

FEATURES

- Easy spray-on application with a pump sprayer
- Automatically fills gaps, voids, and pop-outs during regular grinding operations
- Quickly cures to concrete hardness
- For use in a dry polishing system



Item #	Unit	MSRP
LG7K-5	5 gallon	\$205.00
LG7K-55	55 gallon	\$2,142.25





FEATURES

- Rapidly sets & produces high strength
- Self-priming and self-leveling
- Can be mixed with dry aggregate/sand
- Rebuilding control joints
- Traffic area spalls & crack repairs
- Fill & repair spall before coating
- Used to “knit” cracked slabs
- Fill voids under concrete or tile

PG-3 Grout Coat & Spall Repair



Ameripolish® PG-3 is a rapid-set, high-strength low low-viscosity polyurea repair material. This two-part, 1:1 system is 100% solids and designed for rebuilding and repairing broken control joints, filling voids under tile and concrete, and repairing spalled concrete surfaces very quickly. Ameripolish® PG-3 is intended for use in damaged control joints or warehouse spall damage created by forklifts or carts with steel or hard urethane wheels.



Item #	Unit	MSRP
PG3-2Gal-Kit	2 Gallon Kit	\$185.00
PG3-10Gal-Kit	10 Gallon Kit	\$610.00



Strip & Clean

Water-Based Stripping Agent



BEFORE





AFTER

FEATURES

- Grind-free sealer removal
- Formulated specifically to remove 3D SP and other guard-type products
- Ideal for preparation prior to any dye application

Ameripolish® Strip & Clean is a water-based stripping agent specifically formulated for the grind-free removal of the Ameripolish® 3D SP sealer from polished concrete floors. Strip & Clean is also a great tool to prepare exterior concrete for ColorJuice E applications. It helps remove mold, mildew and other contaminants that would otherwise impair the project.

Item #	Unit	MSRP
SS2-1	1 gallon (2 gallon RTU)	\$42.00
SS10-5	5 gallon (10 gallon RTU)	\$210.00
SS60-30	30 gallon (60 gallon RTU)	\$1,260.00
SS110-55	55 gallon (110 gallon RTU)	\$2,310.00



EZ Etch


Concrete Surface Etching Agent

FEATURES

- Opens the concrete to prepare it for penetrating agents
- Safe for interior and exterior environments
- Biodegradable, low odor and non-flammable
- Can be used safely on new or restoration construction, industrial facilities, commercial spaces, food packaging facilities and residential areas

Ameripolish® EZ Etch cleans excess mortar, free latent lime, grease, oil, food stains and organic material from concrete floors and also opens up the pores/surface of the concrete to prepare it for penetrating products such as Ameripolish® ColorJuice E, AquaShield, overlay concrete systems and water or solvent-based sealers. EZ Etch is environmentally friendly and nonabrasive. It is for use on polished concrete, stone, terrazzo and other custom concrete surfaces.

Item #	Unit	MSRP
EZE2-1	1 gallon (2 gallon RTU)	\$45.00
EZE10-5	5 gallon (10 gallon RTU)	\$225.00
EZE60-30	30 gallon (60 gallon RTU)	CDFP*
EZE110-55	55 gallon (110 gallon RTU)	CDFP*





FEATURES

- Improves cure by retaining slab moisture
- High-penetrating and non-film forming
- Forms hydrophobic barrier to increase stain repellency
- Improves scratch and abrasion resistance
- Helps reduce efflorescence and minimizes dust for healthier indoor air quality
- Replaces traditional cure and seal products on new concrete



PCA Penetrating Curing Agent

Ameripolish® PCA is a penetrating curing agent that chemically hardens and dust-proofs concrete for improved abrasion resistance without forming a coating. PCA is recommended on newly placed concrete to add initial water and stain repellency while retaining slab moisture for improved curing. PCA requires no UV light for dissipation and can be used with integrally-colored concrete. Unlike traditional cure and seal products, PCA does not form a membrane that must be removed via chemical strippers or aggressive metal bond tools prior to polishing.



Item #	Unit	MSRP
PCA-5	5 gallon RTU	\$227.12
PCA-30	30 gallon RTU	\$1,362.69
PCA-55	55 gallon RTU	CDFP*
PCA-250	250 gallon RTU	CDFP*



Ameripolish® Color Charts

Classic / Surelock™ / Dye-n-Seal Color Chart

Ameripolish® – Bringing color, creativity, and consistency to every concrete surface offering 24 stock colors, with custom colors available by request. Colors shown are for reference only. Concrete slab variations will affect final appearance, and exact results cannot be guaranteed.



ColorSolve™

Solvent Carrier for Ameripolish® Dyes

Ameripolish® ColorSolve™ is an easy-to-use solvent carrier designed for Classic and SureLock™ concrete dyes that delivers up to 1,000 sq ft per gallon. Its slower evaporation rate improves control, reduces labor, and eliminates the need for taping or masking. ColorSolve™ also enables dye application at higher grit levels (800–1,500) for enhanced color, reapplication, and floor refurbishment.

Item #	Unit	MSRP
CS-1	1 gallon	\$60.50
CS-5	5 gallon	\$266.20
CS-55	55 gallon	\$2,355.10





Classic Dyes



Chemically Bonding Dyes for Polished Concrete

Ameripolish® Classic Dyes were designed specifically for polished and exposed concrete. The Ameripolish® Classic Dyes penetrate into the surface of the concrete slab for extremely long-lasting color that will not wear from daily usage. Classic Dyes can be used as a base color or touch up for concrete that has received integral color, dry shake hardeners and acid stains; it can even be layered to create a truly unique, mottled effect.

Unit	MSRP
1 gallon	\$69.00
5 gallon	\$299.00
Sample bottle	\$8.50
Full set of samples (24)	\$204.00

FEATURES

- Solvent-based. It mixes with Ameripolish® ColorSolve™ and is VOC compliant
- Colors penetrate the surface and never wear off
- Will not grind off during resin-grinding stages of polished concrete
- Coordinate with Ameripolish® Edge Tints for a seamless wall-to-wall floor solution
- For indoor use only



Surelock™ Dyes

Chemically Bonding Dyes for Polished Concrete





The Ameripolish® SureLock™ Dyes formula has recently been updated, making them the most vibrant concrete dyes Ameripolish® has ever produced. SureLock™ Dyes are versatile colorants for polished concrete that mix with water or Ameripolish® ColorSolve™. SureLock™ Dyes are to be applied just before densifying with 3D HS or HSL, helping the color penetrate and chemically bond to the concrete. The pre-dissolved concentrate liquid is fast and easy-to-use. The formula includes UV stabilizers to resist fading, as well as a penetrating agent to eliminate further mixing and develop deep, rich colors even on hard, dense concrete.

Unit	MSRP
1 gallon	\$69.00
5 gallon	\$299.00
Sample bottle	\$8.50
Full set of samples (24)	\$204.00

FEATURES

- Mixes with water or Ameripolish® ColorSolve™ and is VOC compliant
- Consistent, rich penetrating color with UV stabilizers that resist fading
- May be used with 3D line densifiers to chemically bond to the concrete
- Liquid concentrate eliminates three-hour wait to dissolve dye required by other products
- For indoor use only





Ameripolish® Color Charts

OS Integral Color Chart

Ameripolish® offers 18 stock colors representing the most common flooring tones. Custom colors are available by request and produced to order. Color swatches are for reference only—concrete substrate, mix design, and application conditions will affect final appearance. Actual results may vary and cannot be guaranteed. All samples shown are Ameripolish® OS Integral Color mixed with CTS Cement Rapid Set® TRU™.



OS Integral Color

Integral Color for Cementitious Overlays

Ameripolish® OS Integral Color is a concentrated liquid dispersion of mineral oxide pigment particles formulated to color concrete, and it is available in a broad range of hues. OS Integral Color meets ASTM-C979, Standard Specification for Pigments for Integrally Colored Concrete.

Unit	MSRP
Made to order	CDFP*

*Call Distributor for Pricing

FEATURES

- Does not alter mix properties
- Maintains original strength
- Colorfast in outdoor settings
- Premeasured units equal standard dose for one 50-pound bag of TRU or other overlay products
- Meets ASTM-C979 standard



Ameripolish® Color Charts

ColorJuice E Color Chart

Ameripolish® offers 13 stock ColorJuice® E colors, representing the most common choices for exterior concrete. Custom colors are available by special order. Color samples are for reference only—concrete variations will affect final appearance, and results may vary.





ColorJuice E

Exterior Concrete Colorant



Item #	Unit	MSRP
CJHARD-1	1 Gallon/Hardener Part A	\$29.43
*RPCS	1 Gallon/Colorant Part B	\$45.00
CJHARD-5	5 Gallon/Hardener Part A	\$147.13
*RPCS	5 Gallon/Colorant Part B	\$225.00
*RPCS	Sample Bottle	\$8.50
CJ100	Full Sample Kit	\$126.00

*Reference Product Code Sheet



FEATURES

- Ideal for indoor or outdoor use
- Fast, easy application
- Available in 14 transparent colors
- Water-based and UV stable
- Low VOC
- Works well with our X-Link series sealers
- Best results when EZ Etch is used to prep surface before color application



The Densifier Difference

Concrete isn't one-size-fits-all, and neither are densifiers. At Ameripolish®, our densifier formulations are engineered to address a wide range of concrete conditions, porosities, and performance needs. Whether you're working with newly placed slab, an aged polished surface or integrally colored concrete, selecting the right densifier makes all the difference in long-term durability, DOI and maintenance. Here's what sets Ameripolish densifiers apart:

PRODUCT	BEST FOR	WHY CHOOSE IT
Ameripolish 2D PL	Extremely porous or open concrete (new or existing)	This fast-setting, multi-silicate blend “sets up” quickly so much of it stays near the surface, hardening the wearable layer. It also integrates stain-resistant chemistry for better protection.
Ameripolish 3D HS	Exposed or polished concrete; variable density slabs	A hybrid silicate densifier with three different silicate molecule sizes. It penetrates deeply, increases abrasion resistance, and helps resist the effects of traffic and weathering—even after grinding.
Ameripolish 3D HSL	Dense, low-porosity concrete; tight floor caps	This low-solids hybrid silicate is designed to penetrate very tight surfaces, reinforcing multiple levels within the slab. Ideal for burnished or diamond-polished floors.
Ameripolish 3D SF	Grind-and-seal applications and polished surfaces where silicates may be a concern	A silicate-free densifier using ion-exchange chemistry, it enhances abrasion and stain resistance, improves water repellency, and protects color and gloss—with minimal dust.
Ameripolish Eco Hard MS	Projects that demand low toxicity and strong environmental performance	A sodium-silicate densifier with 30% solids. It dust-proofs, strengthens, and cures the concrete surface while remaining odorless, colorless, and non-toxic.
Ameripolish Eco Hard MS PLUS	High-performance, eco-conscious applications needing maximum densification	Similar to Eco-Hard MS but with a higher 40% solids content, making it especially effective at hardening, dust proofing, and strengthening without adding VOC or odor.



3D HS Densifier

Hybrid Silicate Densifier

Ameripolish® 3D HS (three densifiers in one product) Hybrid Silicate Densifier improves surface performance and resists the harmful effects of traffic wear and weathering. By having three different size molecule silicates, this product fully penetrates varying densities of concrete, regardless of region or hardness. The penetration improves the abrasion resistance for new or aged concrete. 3D HS is ideal for use on exposed and polished concrete, as well as cements with integral color.

Item #	Unit	MSRP
AP3DHS-1	1 gallon RTU	\$65.87
AP3DHS-5	5 gallon RTU	\$227.12
AP3DHS-30	30 gallon RTU	\$1,362.69
AP3DHS-55	55 gallon RTU	CDFP*
AP3DHS-250	250 gallon RTU	CDFP*

*Call Distributor for Pricing

5¢-6¢
per ft²

600-800ft²
per gallon



FEATURES

- Ideal for new or existing concrete
- Hardens deep within the slab to improve durability, even after grinding
- Contains UV stabilizers to help protect color from fading
- Enhances polished color, gloss and clarity
- Contains stain-resistant chemicals to help prevent penetration of stains
- Minimizes dust for healthier indoor air quality



3D HSL Densifier

Low Solids Hybrid Silicate Densifier

Ameripolish® 3D HSL (three densifiers in one product) Hybrid Silicate Densifier is formulated with three different size molecule silicates to penetrate even the most difficult, tight floor cap. 3D HSL strengthens and densifies from within the concrete by providing strength at multiple levels of the slab. 3D HSL improves surface performance and resists the harmful effects of traffic wear and weathering by improving the abrasion resistance for new or aged concrete. 3D HSL is ideal for use on exposed and polished concrete, as well as integrally colored cements.

Item #	Unit	MSRP
AP3DHSL-1	1 gallon RTU	\$34.58
AP3DHSL-5	5 gallon RTU	\$119.24
AP3DHSL-30	30 gallon RTU	\$715.42
AP3DHSL-55	55 gallon RTU	CDFP*
AP3DHSL-250	250 gallon RTU	CDFP*

*Call Distributor for Pricing

2¢-3¢
per ft²

600-800ft²
per gallon

FEATURES

- Hardens deep within the slab to improve durability, even after grinding
- Contains UV stabilizers to help protect color from fading
- Ideal for new construction, existing concrete and diamond pad burnishing- only specs
- Enhances polished color, gloss and clarity
- Provides superior stain resistance especially when combined with SR² sealer





Eco-Hard MS

Sodium-Silicate Densifier

Ameripolish® Eco-Hard MS Mono-silicate Densifier improves surface performance and resists the harmful effects of traffic wear and weathering. Ameripolish® Eco-Hard MS dust proofs, hardens and cures the targeted surface in order to protect against dusting, pitting, spalling and efflorescence that can be seen on untreated concrete. Ameripolish® Eco-Hard MS is odorless, colorless and non-toxic.

Item #	Unit	MSRP
ECOMS-55	55 gallon RTU	\$1,237.50
ECOMS-250	250 gallon RTU	\$5,625.00



FEATURES

- Ideal for new or existing concrete
- Great for dustproofing
- Contains 30% solids
- Enhances polished color, gloss and clarity
- Minimizes dust for healthier indoor air quality





Eco-Hard MS Plus

Sodium-Silicate Densifier

Ameripolish® Eco-Hard MS PLUS Mono-silicate Densifier improves surface performance and resists the harmful effects of traffic wear and weathering. Ameripolish® Eco-Hard MS PLUS dust proofs, hardens and cures the targeted surface in order to protect against dusting, pitting, spalling and efflorescence that can be seen on untreated concrete. Ameripolish® Eco-Hard MS PLUS is odorless, colorless and non-toxic.

Item #	Unit	MSRP
ECOPLUS-5	5 gallon RTU	\$180.00
ECOPLUS-55	55 gallon RTU	\$1,980.00
ECOPLUS-250	250 gallon RTU	\$9,000.00

*Call Distributor For Pricing



FEATURES

- Ideal for new or existing concrete
- Great for dustproofing
- Contains 40% solids
- Enhances polished color, gloss and clarity
- Minimizes dust for healthier indoor air quality





3D SF Silicate-Free Densifier

Ameripolish® 3D SF Densifier introduces a new non-silicate for superior densification performance. With revolutionary ion-exchange chemistry, Ameripolish® 3D SF offers dramatically improved abrasion resistance, stain resistance, and water repellency over conventional silicate densifiers. This product fully penetrates varying densities of concrete regardless of region or hardness. 3D SF is ideal for use on exposed and polished concrete, as well as cements with integral color.

Item #	Unit	MSRP
AP3DSF-1	1 gallon RTU	\$64.00
AP3DSF-5	5 gallon RTU	\$200.00
AP3DSF-30	30 gallon RTU	\$1,200.00

*Call Distributor for Pricing

FEATURES

- Revolutionary Ion-Exchange Chemistry
- Great for grind and seal or traditional polishing jobs
- Hardens deep within the slab to improve durability even after grinding
- Improved abrasion & stain resistance over conventional silicate densifiers
- Contains UV stabilizers to help protect color from fading
- Enhances polished color, gloss, and clarity
- Contains stain-resistant chemicals to help prevent penetration of stains
- Minimizes dust for healthier indoor air quality
- Provides superior stain resistance especially when combined with SR2™ Sealer





2D PL Fast-Setting Densifier

Ameripolish® 2D PL is a multi-silicate blend that is intended for use on extremely porous concrete. 2D PL sets up faster than other Ameripolish® densifiers, which keeps the majority of the 2D PL at the surface of the concrete in order to harden the wearable surface. Its ideal use is on open or porous concrete that will readily accept densifiers. When used in conjunction with Ameripolish® SR2 Stain Resistor, it is especially effective at resisting stains.

Item #	Unit	MSRP
2DPL-5	5 gallon RTU	\$146.78
2DPL-55	55 gallon RTU	\$1,614.53
2DPL-250	250 gallon RTU	CDFP*

*Call Distributor for Pricing



FEATURES

- Fast-setting, designed for porous concrete
- Ideal for new or existing concrete
- Multi-silicate to penetrate varying densities of concrete
- Hardens the wearable surface of porous concrete
- Contains stain-resistant chemicals to help prevent penetration of stains
- Minimizes dust for healthier indoor air quality




SR2™ Fully-Penetrating Stain Resistor





SR2-treated concrete tile after being submerged in water for 48 hours

Ameripolish® SR2 is a penetrating stain repellent specifically formulated to protect polished, dyed, and non-dyed concrete and terrazzo. The water and oil-repelling qualities of SR2 provide superior stain protection on most substrates. SR2 can be used as a standalone product but, to obtain optimum performance, Ameripolish® SR2 is recommended for use with Ameripolish® 3D HS or HSL Densifiers.



Level of penetration by SR2™ Stain Resistor



FEATURES

- Non-topical, penetrating sealer
- Treated surfaces remain breathable
- Excellent stain repellency for polished concrete and terrazzo

Item #	Unit	MSRP
SR2-1	1 gallon RTU	\$177.54
SR2-5	5 gallon RTU	\$859.09
SR2-30	30 gallon RTU	\$4,896.82
SR2-55	55 gallon RTU	CDFP*
SR2-250	250 gallon RTU	CDFP*

*Call Distributor for Pricing





SR2 Plus Stain Resistor

Enhanced Fully Penetrating Stain Resistor



Ameripolish® SR2 Plus is a penetrating stain repellent specifically formulated to protect polished, dyed, and non-dyed concrete and terrazzo. The water and oil-repelling qualities of SR2 Plus provide superior stain protection on most substrates. SR2 Plus can be used as a standalone product but, to obtain optimum performance, Ameripolish® SR2 is recommended for use with Ameripolish® 3D HS or HSL Densifiers.

Same characteristics of SR2™ with additional features of:

FEATURES

- Darkens/Enriches the surface color
- Increases both gloss and DOI readings
- Safe for surfaces that experience high traffic
- Compatibility to bond with Ameripolish Color System components to protect color in slab
- Same familiar application method

Item #	Unit	MSRP
SR2PLUS-1	1 gallon RTU	\$159.00
SR2PLUS-5	5 gallon RTU	\$786.00



SR2 WB Stain Resistor

Water-Based Fully Penetrating Stain Resistor

Ameripolish® SR2 WB is a water-based, penetrating stain repellent specifically formulated to protect polished, dyed and non-dyed concrete and terrazzo. The water and oil repelling qualities of SR2 WB provide superior stain protection on most substrates. SR2 WB can be used as a standalone product, but to obtain optimum performance Ameripolish® SR2 WB is recommended for use with Ameripolish® 3D HS or HSL Densifiers.

Same characteristics of SR2™ with additional features of:

- Great alternative where solvent-based products are not applicable
- VOC exempt & non-flammable
- Economical penetrating sealer alternative

Item #	Unit	MSRP
SR2WB-1	1 gallon RTU	\$76.00
SR2WB-5	5 gallon RTU	\$380.00
SR2WB-30	30 gallon RTU	\$2,280.00
SR2WB-55	55 gallon RTU	CDFP*
SR2WB-250	250 gallon RTU	CDFP*

*Call Distributor for Pricing



3D SP E™



Stain Protector Enhanced Formula



Ameripolish® 3D SP E™ is a breathable, semi-penetrating/semi-topical sealer designed to protect concrete surfaces from staining and etching. It creates a water-resistant shield that helps prevent liquids from entering the surface, reducing the risk of stains and preserving color uniformity.

FEATURES

- Ready to Use (RTU)
- UV stabilizers help protect against fading
- Creates an extended window of opportunity to clean up spills
- 3D SP E™ is a color enhancer for polished concrete floors with dye
- Contains 3D densifier properties to aid in hardening and dustproofing





Item #	Unit	MSRP
3DSPE-1	1 gallon RTU	\$61.80
3DSPE-5	5 gallon RTU	\$309.00
3DSPE-30	30 gallon RTU	\$1,761.30
3DSPE-55	55 gallon RTU	CDFP*
3DSPE-250	250 gallon RTU	CDFP*

*Call Distributor for Pricing

G Series

Burnishing Pads

Ameripolish® G Series Pads are dry burnishing pads designed for high-speed floor machines operating at 1,500–3,000 RPM. Made from durable nonwoven polyester fibers, they're used after Ameripolish® stain protection has been applied and dried. Pads are available in multiple sizes to fit common machines.



G-Series Pad	Grit Equivalent
G3	3000
G2	1200
G1	600




Item #	Unit	MSRP
G3-27-2	27" G3 Burnishing Pad 2 Pack	\$120.00
G3-24-2	24" G3 Burnishing Pad 2 Pack	\$110.00
G3-21-2	21" G3 Burnishing Pad 2 Pack	\$100.00
G2-27-2	27" G2 Burnishing Pad 2 Pack	\$120.00
G2-24-2	24" G2 Burnishing Pad 2 Pack	\$110.00
G2-21-2	21" G2 Burnishing Pad 2 Pack	\$100.00
G1-27-2	27" G1 Burnishing Pad 2 Pack	\$120.00
G1-24-2	24" G1 Burnishing Pad 2 Pack	\$110.00
G1-21-2	21" G1 Burnishing Pad 2 Pack	\$100.00



Polyaspartic 85 Polyaspartic Top Coat

Ameripolish® Polyaspartic 85 is a two-part, high-solids polyaspartic coating engineered for superior gloss, UV stability (non-yellowing), elevated heat tolerance, and robust chemical protection. This advanced formulation delivers an optimal combination of working time, hardening duration, rapid return-to-use, and resistance to chemicals. It serves as a transparent or colored high-sheen topcoat for decorative and commercial resin-based floor systems, such as flake broadcasts, aggregate embeds, graphic overlays, and anti-skid finishes (when additives are incorporated).

COLOR RANGE



FEATURES

- Pot Life - 30-45 minutes
- Ample working duration
- Exceptional "Self-Healing" Ability during application
- Dry-to-touch in 1 hour (77° F with 40%-50% relative humidity)
- Hard dry time in 4 hours (77° F with 40%-50% relative humidity)
- Tensile Strength >3900 PSI (ASTM D 412)
- Shore D Hardness
- Complies with ADA standards (friction coefficient exceeding 0.6)
- Superior Bonding Strength
- Exceptional resistance to chemicals
- Simple Upkeep
- Broad temperature range for application

Item #	Unit	MSRP
POLY85KIT-2	2 Gallon Kit	\$210.00
POLY85KIT-10	10 Gallon Kit	\$950.00

B-O-G

Modified Urethane Coating

Ameripolish® B-O-G is a single component modified urethane coating designed to provide maximum protection to concrete and cementitious overlayment systems. B-O-G is designed for protection against staining from the most corrosive cleaning agents as well as a user friendly application style.



Item #	Unit	MSRP
BOG	5 gallon RTU	\$499.00

FEATURES

- Ready to use (RTU)
- Glossy finish
- Non-yellowing finishes
- Fast-drying
- Chemical resistant
- Added mildew and UV protection
- Can be applied to most cementitious surfaces



DNS-400



Sprayable Acrylic Sealer

Ameripolish® DNS-400 is a sprayable acrylic sealer that is fast-drying and long-lasting to protect and beautify concrete finishes. DNS-400 contains complex additives and acrylics not found in any other sealers to provide outstanding UV protection, as well as fungicides to prevent mildew growth. Independent testing has proven DNS-400's longevity to exceed three years during normal usage conditions, making it ideal for lasting protection on colored or uncolored, stamped or exposed concrete, porous brick, natural and manufactured stone, stucco, slate, unglazed tile and flagstone.

Item #	Unit	MSRP
DNS-400-5	5 gallon RTU	\$293.26

FEATURES

- Ideal for indoor or outdoor use
- Added mildew and UV protection
- Oil and chemical resistant
- Perfect for sealing after using Dye-N-Seal Pro colors





X-Link Series Exterior Sealers for ColorJuice E

X-Link E (WL)

Modified Urethane Semi-Gloss Sealer





Ameripolish® X-Link E (WL) is a modified urethane high-gloss sealer. Modified from our original X-Link WL, X-Link E (WL) provides a true wet look. X-Link E (WL) is extremely durable and breathable from beneath the concrete. X-Link E (WL) is designed for use with ColorJuice E, but it can be used to seal natural concrete and other masonry surfaces such as porous brick, natural and manufactured stone, stucco, slate and flagstone.

FEATURES

- Ready to use (RTU)
- Provides high gloss on broom-finished concrete
- Breathable & fast drying
- Pairs well with ColorJuice E
- Use on natural or colored concrete

Item #	Unit	MSRP
XSWL-1	1 gallon RTU	\$42.52
XSWL-5	5 gallon RTU	\$212.04
XSWL-30	30 gallon RTU	\$1,208.84
XSWL-55	55 gallon RTU	CDFP*
XSWL-250	250 gallon RTU	CDFP*

*Call Distributor for Pricing



X-Link WB

Water-Based Sealer in Matte Finish

Item #	Unit	MSRP
XS-1	1 gallon RTU	\$31.80
XS-5	5 gallon RTU	\$159.00
XS-30	30 gallon RTU	\$906.50
XS-55	55 gallon RTU	CDFP*
XS-250	250 gallon RTU	CDFP*

*Call Distributor for Pricing



FEATURES

- Ready to use (RTU)
- Non-yellowing finishes
- Breathable and fast-drying
- Oil and chemical resistant
- Added mildew and UV protection
- Ideal for indoor or outdoor applications

AquaShield

Waterproofing Treatment for Concrete and Masonry

Ameripolish® AquaShield Waterproofing Treatment is a long-lasting treatment that provides water repellency to any concrete surface, helping to prevent staining and water damage. AquaShield coverage varies depending on the porosity of the concrete.



FEATURES

- Ideal for indoor or outdoor use on any concrete or masonry surface
- Extremely long-lasting
- Does not alter concrete appearance





Item #	Unit	MSRP
AS-1	1 gallon RTU	\$27.30
AS-5	5 gallon RTU	\$123.60
AS-30	30 gallon RTU	\$741.60
AS-250	250 gallon RTU	CDFP*

*Call Distributor for Pricing

Salt Shield

Salt Repellent Treatment for Concrete

Ameripolish® Salt Shield is a siloxane-based water repellent and chloride barrier designed for concrete and masonry surfaces, such as concrete block, clay brick, and concrete brick. It safeguards both horizontal and vertical surfaces against moisture ingress and chloride salt corrosion, mitigating rebar deterioration and surface spalling.




FEATURES

- Ideal for coastal environments, offering protection against salt-laden air and reducing chloride penetration
- Extremely long lasting and high coverage rate
- Does not alter concrete appearance


Item #	Unit	MSRP
SALTS-1	1 gallon RTU	\$65.87
SALTS-5	5 gallon RTU	\$227.12
SALTS-30	30 gallon RTU	\$1,362.69
SALTS-55	55 gallon RTU	CDFP*
SALTS-250	250 gallon RTU	CDFP*



The difference you can see.



Warehouse Project



Gas Station Project

CFE 2000

High Performance Multi-Purpose Cleaner

Ameripolish® CFE 2000 is our latest cleaning solution designed to break down the toughest and most troublesome stains.. CFE 2000 is very effective in environments where other aggressive chemicals are unsuccessful. CFE 2000 is eco-friendly and comes in a concentrate intended for automatic scrubber use.



FEATURES

- Cleans the toughest greases and oils
- Breaks down organic material
- Removes salts and mineral that can cause efflorescence
- Eco-friendly concentrate formula
- Usable in automatic scrubber, or in concentrate for troublesome areas

Item #	Unit	MSRP
CFE2000-1	1 gal. RTU	\$42.00
CFE2000-5	5 gal. RTU	\$210.00

CryoClean

Everyday Cleaner Designed for use in Sub-Freezing Temperatures

Ameripolish® CryoClean is a concentrated daily cleaner specially formulated for use in sub-freezing temperatures, making it ideal for cold storage, freezers, and walk-in coolers. CryoClean effectively removes dirt, grime, and organic residues from hard surfaces without freezing or leaving behind streaks. Designed to perform in extreme conditions, CryoClean contains no harsh chemicals and will not damage or dull finished surfaces. Safe for use on polished concrete, vinyl tile, ceramic tile, and composite materials, it helps maintain surface integrity and appearance while cleaning.

Item #	Unit	MSRP
CCF-55	55 Gal.	\$1,614.00



FEATURES

- Sub-Freezing Performance
- Concentrated cleaner that removes daily debris from hard surfaces
- Contains no harsh chemicals
- Auto-scrubber compatible
- Ideal for daily cleaning of polished concrete, terrazzo, epoxy, urethane, and other hard surface flooring



Oil Ingester

Water-based Microbial Stain Remover



Ameripolish® Oil Ingester is an enzyme-based product that consumes and breaks down oil-based materials and absorbs odors from the surface of the concrete without causing damage or affecting any existing colorant, sealer, or stain protector. The biodegradable product is environmentally safe and can be left on surfaces for several days if needed to deeply penetrate seeped stains.

FEATURES

- Safely removes oil stains from most surfaces
- Stops oil from continually wicking to the surface
- Does not damage colorants, sealers, or stain protectors
- Works best above 55°F and with regular applications

Item #	Unit	MSRP
OE5	1 gallon	\$185.00
OE25-5	5 gallons	\$610.00
OE55-55	55 gallons	\$3,833.00



Stain Slayer

Water-based Microbial Stain Remover


Ameripolish® Stain Slayer is our spot-fixing solution designed to remove color-etching introduced with most troublesome stains. Stain Slayer is very effective in environments where other aggressive chemicals are unsuccessful.

FEATURES

- Spot-fix unsightly stains
- Fast acting (within minutes)
- Removes salts and minerals that can cause efflorescence
- Restores floors with color stain back to their original color



Item #	Unit	MSRP
APSTLSL-1	1 gal. RTU	\$42.00
APSTLSL-5	5 gal. RTU	\$210.00
APSTLSL-30	30 gal. RTU	\$490.91
APSTLSL-55	55 gal. RTU	\$900.00



FEATURES

- Concentrated cleaner that removes daily debris from hard surfaces
- Contains chemical analogues to SR2™ that reinforce stain protection
- Contains no harsh chemicals
- Environmentally friendly and biodegradable
- Easy to use, tilt-measure bottle
- Low VOC, VOC-compliant
- Ideal for daily cleaning of polished concrete, terrazzo, epoxy, urethane and other hard-surface flooring



Rejuvenating Cleaner Concentrated Multipurpose Cleaner


Ameripolish® Rejuvenating Cleaner is a concentrated multipurpose cleaner that removes daily debris from hard surfaces and reinforces the sealer to extend the life of polished concrete floors. Rejuvenating Cleaner contains no harsh chemicals, and it leaves no build-up on the surface. In addition to polished concrete, it is ideal for use on vinyl tile, ceramic tile, terrazzo, wood and composite materials. It rejuvenates the floor by reapplying trace amounts of densifier and stain-resistant additives while cleaning with an auto-scrubber. This practice can delay the reapplication of SR2™ as far out as every two years.

Mixing

- 4 oz Cleaner for 30 gallons of water
- 2 oz Cleaner for 15 gallons of water
- 1 oz Cleaner for 8 gallons of water



Item #	Unit	MSRP
RJCON-10	32 oz Tilt Measure Bottle - 10 pack	\$288.40
RJCON5G-5	5 gallon concentrate	\$550.00
RJCONP-CP36	4oz Pouch Case of 36	\$96.70
RJCLEAN-DISP-1	SmartFloor™ Touchless Dispenser	\$385.00



FEATURES

- Easy-to-use pad system, Daily Maintenance (Blue) and Restoration (Orange)
- Designed for use under auto-scrubbers and floor machines
- The Daily Maintenance (Blue) pad will maintain and improve the aesthetics, especially Distinctness of Image (DOI) or clarity of a concrete floor, through the process of daily cleaning
- The Restoration (Orange) pad will restore stained and etched floors or a dull, worn-out floor back to a sustainable aesthetic
- Color wear indicator to let you know when to switch pads
- Visible color while pad is on the machine to always know what pad you are running
- Innovative and patented composite resin abrasive technology
- Available in sizes 13", 14", 15", 16", 17", 18", 20"

SmartFloor™ Maintenance Daily Maintenance and Restoration Pads

Daily Maintenance Pad (Blue)



Restoration Pad (Orange) as needed



Maintenance Pad (Green) as needed



The SmartFloor™ Maintenance concept is engineered to provide the end user with a highly aesthetic floor and an easy and economical way to maintain a polished concrete floor utilizing standard janitorial equipment and existing personnel. The SmartFloor™ Maintenance System consists of Daily Maintenance Pads (Blue) for daily maintenance and Restoration Pads (Orange) for remediating etches and stains or dull, worn-out floors back to a sustainable aesthetic. The SmartFloor™ Maintenance System inserts are made of unique composite resin abrasive technology that maintain a highly refined floor without ongoing stock removal, and the system also successfully remediates etches and stains over time!



Ameripolish® Inc.

120 Commercial Ave. | Lowell, AR 72745

Toll Free: 1-800-592-9320 | **Phone:** (479) 725-0033 | **Fax:** (479) 725-0031